



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Data Sheet

IL-17RA, Fc fusion, Biotin-labeled

Human, recombinant, Fc fusion protein
Catalog #: 91013
Lot #: 150928-G **Conc.:** 0.26 mg/ml

Formulated in: 8 mM Phosphate, pH 7.4,
 110 mM NaCl, 2.2 mM KCl, and 20%
 glycerol

Stability: At least 6 months at -80°C . *Avoid freeze/thaw cycles. Protein may be diluted to $\geq 100 \mu\text{g/ml}$ in PBS + glycerol and stored at -80°C .*

References:


1. Iwakura Y, *et al.* 2008. *Immunol Rev.* **226**:57-79.
2. Bullens DM, *et al.* 2013. *Clin Dev Immunol.* **2013**:840315.

Description: Human secreted interleukin 17 receptor A (IL-17RA) Fc fusion protein, also known as, IL-17 receptor A and CD217, GenBank Accession No. NM_014339, a.a 33-320, fused at the C-terminus to the Fc portion of human IgG1 with a C-terminal AviTag™, expressed in a HEK293 cell expression system. The protein is enzymatically biotinylated using AviTag™ technology. This protein runs at a higher M.W. by SDS-PAGE due to glycosylation.

Assay Description: 100 ng of IL-17A (BPS Cat. #91014) was coated onto a 96-well plate overnight. The indicated amount of IL-17RA, Biotin was added in IL-17 Assay Buffer and allowed to incubate at room temperature for 2 hr. Strep-HRP was added, followed by chemiluminescent substrate and detection.

Application: Useful for studying protein function and protein-protein interaction.


Quality Assurance



**4-20% SDS-PAGE
 Coomassie staining**

Lane 1:
 3 μg IL17-RA
Lane 2:
 Protein Marker

MW: 62 kDa
Purity: $\geq 80\%$



OUR PRODUCTS ARE FOR RESEARCH USE ONLY. NOT FOR DIAGNOSTIC OR THERAPEUTIC USE.

To place your order, please contact us by Phone **1.858.829.3082** Fax **1.858.481.8694**
 Or you can Email us at: info@bpsbioscience.com
 Please visit our website at: www.bpsbioscience.com