



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Product Information

Chicken Anti-Goat IgG (H+L), Whole Antibody, CF® Dye Conjugates

CF® Dye	Ex/Em	Cat. No.	Size
CF®350	347/448 nm	20364-50uL	50 uL
		20364-500uL	500 uL
		20364-1mg	1 mg (lyophilized)
CF®488A	490/515 nm	20225-1	50 uL
		20225	500 uL
		20225-1mg	1 mg (lyophilized)
CF®543	541/560 nm	20333-50uL	50 uL
		20333-500uL	500 uL
		20333-1mg	1 mg (lyophilized)
CF®568	562/583 nm	20337-50uL	50 uL
		20337-500uL	500 uL
		20337-1mg	1 mg (lyophilized)
CF®594	593/614 nm	20226-1	50 uL
		20226	500 uL
		20226-1mg	1 mg (lyophilized)
CF®633	630/650 nm	20227-1	50 uL
		20227	500 uL
		20227-1mg	1 mg (lyophilized)

Concentration

Liquid format: 2 mg/mL in pH ~7.4 PBS containing 50% glycerol, 2 mg/ml bovine serum albumin (IgG-free and protease-free) and 0.05% sodium azide.

Lyophilized format (after reconstitution): 2 mg/mL in pH ~7.4 PBS containing 15 mg/mL bovine serum albumin (IgG-free and protease-free) and 20 mg/mL trehalose.

Storage and Handling

Store at -20°C, protected from light. Product is stable for at least 6 months from date of receipt when stored as recommended. Liquid format antibodies contain 50% glycerol and will not freeze at -20°C.

Reconstitution (lyophilized format only): add 0.5 mL dH₂O and mix gently to dissolve. Store at -20°C, protected from light. Aliquot to avoid freeze-thaw cycles. Alternatively, glycerol can be added to the antibody so that it will not freeze at -20°C: add 0.25 mL dH₂O to the lyophilized antibody and mix gently to dissolve, then add 0.25 mL glycerol and mix well. Optional: a preservative may be added, such as 0.05% (final concentration) sodium azide.

Note: storage of the antibody for more than a day at final working dilution is not recommended.

Product Description

Chicken anti-goat IgG (H+L), whole antibody is an affinity purified chicken antibody that recognizes goat IgG. This antibody is not highly-cross adsorbed against other species. Visit www.biotium.com to see our highly cross-adsorbed secondary antibodies for multiple labeling.

CF® dyes are superior to Alexa Fluor®, DyLight®, and Cy® dyes for antibody labeling by having combined advantages in brightness, photostability, specificity and novel features ideal for in vivo imaging. For more information about CF® dyes, download our CF® Dye Selection Guide at www.biotium.com.

Recommended Dilution Range

Fluorescence microscopy: 1-2 ug/mL

Flow cytometry: 1 ug/10⁶ cells

Near-infrared western detection: 50-100 ng/mL

These concentrations are provided as a starting point for optimization; appropriate dilutions should be determined empirically. Generally IgG conjugates are used in the range of 1-10 ug/mL.

For more detailed protocols for immunofluorescence staining for fluorescence microscopy, flow cytometry, or fluorescence-based western detection, download our [Protocols for Antibody-Based Detection](http://www.biotium.com/resources/downloads) at www.biotium.com/resources/downloads.

Accessory products for immunofluorescence

Cat. No.	Product
23001	EverBrite™ Mounting Medium
23002	EverBrite™ Mounting Medium with DAPI
23003	EverBrite™ Hardset Mounting Medium
23004	EverBrite™ Hardset Mounting Medium with DAPI
23005	CoverGrip™ Coverslip Sealant
23007	TrueBlack™ Lipofuscin Autofluorescence Quencher
40061	RedDot™2 Far Red Nuclear Counterstain
22005	Mini Super ^{HT} Pap Pen 2.5 mm tip, ~400 uses
22006	Super ^{HT} Pap Pen 4 mm tip, ~800 uses
22003	Mini-Cell Scrapers
23006	Flow Cytometry Fixation/Permeabilization Kit
22015	Fixation Buffer
22016	Permeabilization Buffer
22017	Permeabilization and Blocking Buffer
22010	10X Fish Gelatin Blocking Agent
22011	Fish Gelatin Powder
22014	30% Bovine Serum Albumin Solution
22002	Tween®-20

Please visit www.biotium.com to view our full selection of products featuring bright and photostable fluorescent CF® dyes, including Mix-n-Stain™ antibody labeling kits, primary antibody conjugates, streptavidin, phalloidin, and other bioconjugates, as well as conjugates of biotin, HRP, AP, R-PE, APC and PerCP.

Materials from Biotium are sold for research use only, and are not intended for food, drug, household, or cosmetic use.

CF dye technology is covered by pending US and international patents. Alexa Fluor is a registered trademark of Molecular Probes; CYDYE is a registered trademark of GE Healthcare; Draq7 is a registered trademark of Biostatus Ltd; DyLight is a registered trademark of Pierce Biotechnology; TWEEN is a registered trademark of Uniqema Americas LLC.