

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten! See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere Liefer- und Versandbedingungen

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

linkedin.com/company/szaboscandic in



PRODUCT INFORMATION



CD4 Monoclonal Antibody (Clone RIV7)

Item No. 10004599

Overview and Properties

Contents: This vial contains 100 µg of protein A-affinity purified monoclonal antibody.

Human peripheral lymphocytes Immunogen:

Cross Reactivity: (+) CD4 Species Reactivity: (+) Human P01730 **Uniprot No.:** Form: Liquid

Storage: -20°C (as supplied)

Stability: ≥1 year

PBS, pH 7.2, with 0.02% sodium azide Storage Buffer:

RIV7 Clone: Host: Mouse Isotype: lgG2a

Applications: Flow cytometry (FC), immunohistochemistry (IHC; frozen), and immunofluorescence

> (IF); the recommended starting dilution for FC and IF is 10 µg/ml and 10 µg/ml (frozen) for IHC. Other applications were not tested, therefore optimal working concentration/

dilution should be determined empirically.

Description

CD4 is a type I transmembrane glycoprotein that functions as a T cell receptor (TCR) co-receptor. 1 It exists as a single polypeptide chain composed of four extracellular immunoglobulin-like (Ig-like) domains that interact with MHC class II molecules, a transmembrane domain, and a cytoplasmic tail that associates with the tyrosine kinase LCK and mediates signal transduction to the TCR, which is essential for T cell activation.² It is expressed on the surface of, and used as a marker for, T cells, and its expression is used to characterize the development stage of thymocytes. Upon binding to antigen-displaying MHC class II molecules expressed by antigen-presenting cells (APCs), naïve CD4+ T cells differentiate and proliferate in a cytokine-dependent manner into a variety of T helper (Th) cell subsets, including Th1, Th2, and Th17 cells, which enhance and direct innate and adaptive immune cell responses to numerous pathogens and have additional roles in cancer, asthma and allergy, and autoimmunity.^{3,4} CD4 is also the receptor for HIV attachment and entry into cells, resulting in depletion of CD4⁺ cells in patients infected with HIV.^{5,6} Cayman's CD4 Monoclonal Antibody (Clone RVI7) can be used for flow cytometry (FC), immunocytochemistry (ICC), and immunohistochemistry (IHC; frozen) applications.

References

- 1. Wittlich, M., Koenig, B.W., Hoffmann, S., et al. Structural characterization of the transmembrane and cytoplasmic domains of human CD4. Biochim. Biophys. Acta 1768(12), 2949-2960 (2007).
- 2. Mak, T.W. and Saunders, M.E. The T cell receptor: Structure of its proteins and genes. The immune response: Basic and clinical principles. Picknett, T. and Lebedeva, V., editors, 1st edition, Elsevier Academic Press (2006).
- 3. Nguyen, Q.P., Deng, T.Z., Witherden, D.A., et al. Origins of CD4⁺ circulating and tissue-resident memory T-cells. Immunology 157(1), 3-12 (2019).
- Zhu, J. and Paul, W.E. CD4 T cells: Fates, functions, and faults. Blood 112(5), 1557-1569 (2008).
- 5. Wilen, C.B., Tilton, J.C., and Doms, R.W. HIV: Cell binding and entry. Cold Spring Harb. Perspect. Med. 2(8), a006866 (2012).
- Vijayan, K.K.V., Karthigeyan, K.P., Tripathi, S.P., et al. Pathophysiology of CD4+ T-cell depletion in HIV-1 and HIV-2 infections. Front. Immunol. 8, 580 (2017).

WARNING
THIS PRODUCT IS FOR RESEARCH ONLY - NOT FOR HUMAN OR VETERINARY DIAGNOSTIC OR THERAPEUTIC USE.

This material should be considered hazardous until further information becomes available. Do not ingest, inhale, get in eyes, on skin, or on clothing. Wash thoroughly after handling. Before use, the user must review the complete Safety Data Sheet, which has been sent via email to your institution.

WARRANTY AND LIMITATION OF REMEDY

uyer agrees to purchase the material subject to Cayman's Terms and Conditions. Complete Terms and Conditions including Warranty and Limitation of Liability information can be found on our website

Copyright Cayman Chemical Company, 10/11/2023

CAYMAN CHEMICAL 1180 EAST ELLSWORTH RD

ANN ARBOR, MI 48108 · USA PHONE: [800] 364-9897

[734] 971-3335

FAX: [734] 971-3640 CUSTSERV@CAYMANCHEM.COM WWW.CAYMANCHEM.COM