



**SZABO
SCANDIC**

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

linkedin.com/company/szaboscandic



PRODUCT INFORMATION



1-Arachidonoyl Lysophosphatidic Acid (ammonium salt)

Item No. 10019

CAS Registry No.: 799268-65-8

Formal Name: (5Z,8Z,11Z,14Z)-eicosatetraenoic acid,
(2R)-hydroxy-3-(phosphonoxy)propyl ester,
monoammonium salt

Synonyms: 1-Arachidonoyl LPA,
1-Arachidonoyl-sn-glycero-3-phosphate,
1-Eicosatetraenoyl-sn-glycero-3-PA,
20:4 Lyso PA, LPA(20:4), PA(20:4:0:0)

MF: C₂₃H₃₈O₇P • NH₄


FW: 475.6

Purity: ≥95%

Supplied as: A solid

Storage: -80°C

Stability: ≥6 months



Information represents the product specifications. Batch specific analytical results are provided on each certificate of analysis.

Laboratory Procedures

1-Arachidonoyl lysophosphatidic acid is supplied as a crystalline solid. A stock solution may be made by dissolving the 1-arachidonoyl lysophosphatidic acid in the solvent of choice, which should be purged with an inert gas. 1-Arachidonoyl lysophosphatidic acid is sparingly soluble in methanol.

Description

1-Arachidonoyl lysophosphatidic acid is a phospholipid containing arachidonic acid at the *sn*-1 position. It has been found in rat brain as 37% of the arachidonic acid-containing lysophosphatidic acid (LPA) species and is a precursor to 1-arachidonoyl glycerol (1-AG; Item No. 62150).¹ 1-Arachidonoyl lysophosphatidic acid binds to the LPA₂/EDG4 receptor with an EC₅₀ value of approximately 10 nM.² It prevents TNF-α and IL-6 secretion in wild-type but not Lpa2^{-/-} dendritic cells stimulated by LPS.³ It also decreases differentiation of HT-29 human colon carcinoma cells to goblet cells in the presence of sodium butyrate.⁴

References

- Nakane, S., Oka, S., Arai, S., et al. 2-Arachidonoyl-sn-glycero-3-phosphate, an arachidonic acid-containing lysophosphatidic acid: Occurrence and rapid enzymatic conversion to 2-arachidonoyl-sn-glycerol, a cannabinoid receptor ligand, in rat brain. *Arch. Biochem. Biophys.* **402**(1), 51-58 (2002).
- Bandoh, K., Aoki, J., Taira, A., et al. Lysophosphatidic acid (LPA) receptors of the EDG family are differentially activated by LPA species. Structure-activity relationship of cloned LPA receptors. *FEBS Lett.* **478**(1-2), 159-165 (2000).
- Emo, J., Meednu, N., Chapman, T.J., et al. Lpa2 is a negative regulator of both dendritic cell activation and murine models of allergic lung inflammation. *J. Immunol.* **188**(8), 3784-3790 (2012).
- Hidaka, M., Nishihara, M., and Tokumura, A. Three lysophosphatidic acids with a distinct long chain moiety differently affect cell differentiation of human colon epithelial cells to goblet cells. *Life Sci.* **197**, 73-79 (2018).

WARNING

THIS PRODUCT IS FOR RESEARCH ONLY - NOT FOR HUMAN OR VETERINARY DIAGNOSTIC OR THERAPEUTIC USE.

SAFETY DATA

This material should be considered hazardous until further information becomes available. Do not ingest, inhale, get in eyes, on skin, or on clothing. Wash thoroughly after handling. Before use, the user must review the complete Safety Data Sheet, which has been sent via email to your institution.

WARRANTY AND LIMITATION OF REMEDY

Buyer agrees to purchase the material subject to Cayman's Terms and Conditions. Complete Terms and Conditions including Warranty and Limitation of Liability information can be found on our website.

CAYMAN CHEMICAL

1180 EAST ELLSWORTH RD
ANN ARBOR, MI 48108 - USA

PHONE: [800] 364-9897
[734] 971-3335

FAX: [734] 971-3640

CUSTSERV@CAYMANCHEM.COM
WWW.CAYMANCHEM.COM