

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten! See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere Liefer- und Versandbedingungen

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

linkedin.com/company/szaboscandic in



PRODUCT INFORMATION



Prostaglandin E₂-1-glyceryl ester

Item No. 10140

CAS Registry No.: 37497-47-5

Formal Name: 9-oxo-11a,15S-dihydroxy-prosta-

5Z,13E-dien-1-oic acid, 1-glyceryl

Synonym: PGE₂-1-glyceryl ester

MF: $C_{23}H_{38}O_{7}$ FW: 426.6

Purity: ≥98% (as a 85:15 mixture of the 1-

and 2- glyceryl esters)

Stability: ≥1 year at -80°C Supplied as: A solution in ethanol

Laboratory Procedures

For long term storage, we suggest that prostaglandin E₂-1-glyceryl ester (PGE₂-1-glyceryl ester) be stored as supplied at -80°C. It should be stable for at least one year.

PGE₂-1-glyceryl ester is supplied as a solution in ethanol. To change the solvent, simply evaporate the ethanol under a gentle stream of nitrogen and immediately add the solvent of choice. Solvents such as DMSO and dimethyl formamide purged with an inert gas can be used. The solubility of PGE₂-1-glyceryl ester in these solvents is approximately 10 mg/ml.

Further dilutions of the stock solution into aqueous buffers or isotonic saline should be made prior to performing biological experiments. Ensure that the residual amount of organic solvent is insignificant, since organic solvents may have physiological effects at low concentrations. If an organic solvent-free solution of PGE2-1-glyceryl ester is needed, it can be prepared by evaporating the ethanol and directly dissolving the neat oil in aqueous buffers. The solubility of PGE2-1-glyceryl ester in PBS (pH 7.2) is approximately 100 µg/ml. We do not recommend storing the aqueous solution for more than one day.

Description

2-Arachidonoyl glycerol (2-AG; Item No. 62160) has been isolated from porcine brain, and has been characterized as the natural endocannabinoid ligand for the CB₁ receptor. 1,2 Incubation of 2-AG with cyclooxygenase-2 and specific PGH2 isomerases in cell cultures and isolated enzyme preparations results in prostaglandin glycerol ester formation.³ The biosynthesis of PGH, PGD, PGE, PGF, and thromboxane-2-glyceryl ester compounds have all been documented. The 2-glyceryl ester moiety equilibrates rapidly (within minutes) with the more stable 1-glyceryl ester, producing a 10:90 2:1-glyceryl ester mixture in typical aqueous media. While the stability and metabolism of these prostaglandin products has been investigated, little is known about their intrinsic biological activity.4

References

- 1. Sugiura, T., Kodaka, T., Kondo, S., et al. Biochem. Biophys. Res. Commun. 229, 58-64 (1996).
- 2. Sugiura, T., Kodaka, T., Kondo, S., et al. J. Biochem. 122, 890-895 (1997).
- 3. Kozak, K.R., Crews, B.C., Morrow, J.D., et al. J. Biol. Chem. 277(47), 44877-44885 (2002).
- Kozak, K.R., Crews, B.C., Ray, J.L., et al. J. Biol. Chem. 276(40), 36993-36998 (2001).

WARNING
THIS PRODUCT IS FOR RESEARCH ONLY - NOT FOR HUMAN OR VETERINARY DIAGNOSTIC OR THERAPEUTIC USE.

al should be considered hazardous until further information becomes available. Do not ingest, inhale, get in eyes, on skin, or on clothing. Wash thoroughly after handling. Before use, the user must review the complete Safety Data Sheet, which has been sent via email to your institution

WARRANTY AND LIMITATION OF REMEDY

Buyer agrees to purchase the material subject to Cayman's Terms and Conditions. Complete Terms and Conditions including Warranty and Limitation of Liability information can be found on our website.

Copyright Cayman Chemical Company, 03/03/2016

CAYMAN CHEMICAL

1180 EAST ELLSWORTH RD ANN ARBOR, MI 48108 · USA PHONE: [800] 364-9897

[734] 971-3335

FAX: [734] 971-3640 CUSTSERV@CAYMANCHEM.COM WWW.**CAYMANCHEM**.COM