

Produktinformation



Forschungsprodukte & Biochemikalien
Zellkultur & Verbrauchsmaterial
Diagnostik & molekulare Diagnostik
Laborgeräte & Service

Weitere Information auf den folgenden Seiten! See the following pages for more information!



Lieferung & Zahlungsart siehe unsere Liefer- und Versandbedingungen

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien T. +43(0)1 489 3961-0 F. +43(0)1 489 3961-7 <u>mail@szabo-scandic.com</u> www.szabo-scandic.com

Product Information



9-Nitrooleate-d₁₇

Item No. 10557

Formal Name:	9-nitro-9E-octadecenoic-	
	11,11,12,12,13,13,14,14,15,15,	
	16,16,17,17,18,18,18-d ₁₇ acid	
Synonyms:	9-Nitrooleic Acid-d ₁₇ ,	NO ₂
	9-nitro-9- <i>trans</i> -Octadecenoic Acid-d ₁₇	
MF:	$C_{18}H_{16}D_{17}NO_4$	
FW:	344.6	
Chemical Purity:	≥98%	
Deuterium		
Incorporation:	\geq 99% deuterated forms (d ₁ -d ₁₇); \leq 1% d ₀	
Stability:	≥1 year at -20°C	
Supplied as:	A solution in ethanol	
UV/Vis.:	λ_{max} : 257 nm	

Laboratory Procedures

9-Nitrooleate-d₁₇ contains 17 deuterium atoms at the 11, 11, 12, 12, 13, 13, 14, 14, 15, 15, 16, 16, 17, 17, 18, 18, and 18 positions. It is intended for use as an internal standard for the quantification of 9-nitrooleate (Item No. 10008042) by GC- or LC-mass spectrometry (MS). For long term storage, we suggest that 9-nitrooleate-d₁₇ be stored as supplied at -20°C. It should be stable for at least one year.

9-Nitrooleate- d_{17} is supplied as a solution in ethanol. To change the solvent, simply evaporate the ethanol under a gentle stream of nitrogen and immediately add the solvent of choice. Solvents such as DMSO and dimethyl formamide purged with an inert gas can be used. The solubility of 9-nitrooleate-d₁₇ in these solvents is approximately 1 mg/ml.

9-Nitrooleate- d_{17} is used as an internal standard for the quantification of 9-nitrooleate by stable isotope dilution MS. The accuracy of the sample weight in this vial is between 5% over and 2% under the amount shown on the vial. If better precision is required, the deuterated standard should be quantitated against a more precisely weighed unlabeled standard by constructing a standard curve of peak intensity ratios (deuterated versus unlabeled).

Nitrated unsaturated fatty acids, such as 10- and 12-nitrolinoleate (LNO₂; Item No. 10037), cholesteryl nitrolinoleate, and nitrohydroxylinoleate, represent a new class of endogenous lipid-derived signalling molecules. LNO₂ isomers serve as potent endogenous ligands for PPARy and can also decompose or be metabolized to release nitric oxide.¹⁴ 9-Nitrooleate is one of two regioisomers of nitrooleate, the other being 10-nitrooleate (Item No. 10008043) (OA-NO₂; used for the mixture of isomers), which are formed by nitration of oleic acid (Item No. 90260) in approximately equal proportions in vivo.⁵ Peroxynitrite, acidified nitrite, and myeloperoxidase in the presence of H₂O₂ and nitrite, all mediate the nitration of oleic acid. OA-NO₂ is found in human plasma as the free acid and esterified in phospholipids at concentrations of 619 ± 52 nM and 302 ± 369 nM, respectively. OA-NO2 activates PPARY approximately 7-fold at a concentration of 1 µM and effectively promotes differentiation 3T3-L1 preadipocytes to adipocytes at 3 µM.5

References

- 1. Lim, D.G., Sweeney, S., Bloodsworth, A., et al. Proc. Natl. Acad. Sci. USA 99(25), 15941-15946 (2002).
- 2. Schopfer, F.J., Lin, Y., Baker, P.R.S., et al. Proc. Natl. Acad. Sci. USA 102(7), 2340-2345 (2005).
- 3. Lima, E.S., Bonini, M.G., Augusto, O., et al. Free Radic. Biol. Med. 39, 532-539 (2005).
- 4. Baker, P.R.S., Schopfer, F.J., Sweeney, S., et al. Proc. Natl. Acad. Sci. USA 101(32), 11577-11582 (2004).
- 5. Baker, P.R., Lin, Y., Schopfer, F.J., et al. J. Biol. Chem. 280(51), 42464-42475 (2005).

Related Products

For a list of related products please visit: www.caymanchem.com/catalog/10557

WARNING: This product is for laboratory research only: not for administration to humans. Not for human or veterinary DIAGNOSTIC OR THERAPEUTIC USE.

SAFETY DATA

This material should be considered hazardous until information to the contrary becomes available. Do not ingest, swallow, or inhale. Do not get in eyes, on skin, or on clothing. Wash thoroughly after handling. This information contains some, but not all, of the information required for the safe and proper use of this material. Before use, the user must review the complete Safety Data Sheet, which has been sent via email to your institution.

WARRANTY AND LIMITATION OF REMEDY

Cayman Chemical Company makes no warranty of guarantee of any kind, whether written or oral, expressed or implied, including without limitation, any warranty of fitness for a particular purpose, suitability and merchantability, which extends beyond the description of the chemical shereof. Cayman warrants only to the original customer that the material will meet our specifications at the time of delivery.

Cayman will carry out its delivery obligations with due care and skill. Thus, in no event will Cayman have **any obligation or liability**, whether in tort (including negligence) or in contract, for any direct, indirect, indirect indirect and the second and the s

- Buyer's exclusive remedy and Laymans sole hability neterinder shall be infinited to a terminal of the particular process of an experimental strength of the particular process of the particular pro

Cayman Chemical

Mailing address

1180 E. Ellsworth Road Ann Arbor, MI 48108 USA

Phone (800) 364-9897 (734) 971-3335

Fax (734) 971-3640

E-Mail

custserv@caymanchem.com

Web

www.caymanchem.com