



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

PRODUCT INFORMATION



1,2-Didocosahexaenoyl-*sn*-glycero-3-PC

Item No. 10733

CAS Registry No.: 99296-81-8
Formal Name: (7R,13Z,16Z,19Z,22Z,25Z,28Z)-4-hydroxy-N,N,N-trimethyl-10-oxo-7-[[[(4Z,7Z,10Z,13Z,16Z,19Z)-1-oxo-4,7,10,13,16,19-docosahexaenyl]oxy]-3,5,9-trioxa-4-phosphahentriaconta-13,16,19,22,25,28-hexaen-1-aminium, inner salt, 4-oxide

Synonyms: 1,2-Didocosahexaenoyl PC, 1,2-Didocosahexaenoyl-*sn*-glycero-3-Phosphocholine, 1,2-Didocosahexaenoin-*sn*-glycero-3-Phosphatidylcholine, PC(22:6/22:6), 22:6/22:6-PC

MF: C₅₂H₈₀NO₈P


FW: 878.2

Purity: ≥95%

Supplied as: An oil

Storage: -20°C

Stability: ≥2 years



Information represents the product specifications. Batch specific analytical results are provided on each certificate of analysis.

Laboratory Procedures

1,2-Didocosahexaenoyl-*sn*-glycero-3-PC is supplied as an oil. A stock solution may be made by dissolving the 1,2-didocosahexaenoyl-*sn*-glycero-3-PC in the solvent of choice, which should be purged with an inert gas. 1,2-Didocosahexaenoyl-*sn*-glycero-3-PC is soluble in chloroform.

Description

1,2-Didocosahexaenoyl-*sn*-glycero-3-PC is a phospholipid that contains docosahexaenoic acid (Item Nos. 90310 | 17950) at the *sn*-1 and *sn*-2 positions. It has been used in the formation of polyunsaturated endoplasmic reticulum-targeting liposomes (PERLs) that reduce cellular cholesterol levels in human peripheral blood mononuclear cells (PBMCs) and decrease the secretion of HIV-1 particles in PBMCs infected with HIV-1_{LAI}.¹ It has been used as a component of lipid monolayers and small unilamellar vesicles to study the effect of phospholipid composition on membrane fluidity.²

References

1. Pollock, S., Nichita, N.B., Böhmer, A., *et al.* Polyunsaturated liposomes are antiviral against hepatitis B and C viruses and HIV by decreasing cholesterol levels in infected cells. *Proc. Natl. Acad. Sci. USA.* **107**(40), 17176-17181 (2010).
2. Zerouga, M., Jenski, L.J., and Stillwell, W. Comparison of phosphatidylcholines containing one or two docosahexaenoic acyl chains on properties of phospholipid monolayers and bilayers. *Biochim Biophys Acta.* **1236**(2), 266-272 (1995).

WARNING

THIS PRODUCT IS FOR RESEARCH ONLY - NOT FOR HUMAN OR VETERINARY DIAGNOSTIC OR THERAPEUTIC USE.

SAFETY DATA

This material should be considered hazardous until further information becomes available. Do not ingest, inhale, get in eyes, on skin, or on clothing. Wash thoroughly after handling. Before use, the user must review the complete Safety Data Sheet, which has been sent via email to your institution.

WARRANTY AND LIMITATION OF REMEDY

Buyer agrees to purchase the material subject to Cayman's Terms and Conditions. Complete Terms and Conditions including Warranty and Limitation of Liability information can be found on our website.

Copyright Cayman Chemical Company, 07/22/2021

CAYMAN CHEMICAL

1180 EAST ELLSWORTH RD

ANN ARBOR, MI 48108 · USA

PHONE: [800] 364-9897

[734] 971-3335

FAX: [734] 971-3640

CUSTSERV@CAYMANCHEM.COM

WWW.CAYMANCHEM.COM