



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

PRODUCT INFORMATION




O⁶-methylguanine-DNA Methyltransferase (human, recombinant)

Item No. 11176


Overview and Properties

Synonym: MGMT
Source: Active recombinant N-terminal His-tagged protein expressed in *E. coli*
Uniprot No.: B4DEE8
Amino Acids: 2-238 (full length)
Molecular Weight: 26.8 kDa
Storage: -80°C (as supplied)
Stability: ≥6 months
Purity: *batch specific* (≥50% estimated by SDS-PAGE)
Supplied in: *batch specific*
Protein
Concentration: *batch specific* mg/ml

Images



Lane 1: MGMT (0 µg)
Lane 2: MGMT (0.5 µg)
Lane 3: MGMT (1.5 µg)
Lane 4: MGMT (4.5 µg)
Lane 5: MGMT (10 µg)
Lane 6: Unmethylated DNA oligo



Lane 1: MW Markers
Lane 2: MGMT (1 µg)
Lane 3: MGMT (2 µg)
Lane 4: MGMT (4 µg)

WARNING
THIS PRODUCT IS FOR RESEARCH ONLY - NOT FOR HUMAN OR VETERINARY DIAGNOSTIC OR THERAPEUTIC USE.

SAFETY DATA
This material should be considered hazardous until further information becomes available. Do not ingest, inhale, get in eyes, on skin, or on clothing. Wash thoroughly after handling. Before use, the user must review the complete Safety Data Sheet, which has been sent via email to your institution.

WARRANTY AND LIMITATION OF REMEDY
Buyer agrees to purchase the material subject to Cayman's Terms and Conditions. Complete Terms and Conditions including Warranty and Limitation of Liability information can be found on our website.

Copyright Cayman Chemical Company, 06/21/2021

CAYMAN CHEMICAL
1180 EAST ELLSWORTH RD
ANN ARBOR, MI 48108 · USA
PHONE: [800] 364-9897
[734] 971-3335
FAX: [734] 971-3640
CUSTSERV@CAYMANCHEM.COM
WWW.CAYMANCHEM.COM

PRODUCT INFORMATION



Description

O⁶-methylguanine-DNA Methyltransferase (MGMT) is a DNA repair enzyme responsible for demethylating O⁶-methylguanine (O⁶-mG).¹ The methylation of guanine at O⁶ to form O⁶-mG allows base-pairing to thymine rather than cytosine during DNA replication. MGMT prevents mutations by transferring the methyl group from O⁶-mG to MGMT cysteine 145, restoring guanine. This transfer results in a covalent bond between MGMT cysteine 145 and the methyl group, and so MGMT is a single-turnover, "suicide" enzyme. The assay used to test MGMT is the demethylation of a synthesized, double-stranded, DNA oligonucleotide.² Demethylation removes an O⁶-methyl group to expose a restriction site for the restriction endonuclease PvuII. Lanes A-E show 200 ng of methylated dsDNA treated with increasing amounts of MGMT prior to PvuII digestion.

References

1. Mitra, S. MGMT: A personal perspective. *DNA Repair (Amst)* **6(8)**, 1064-1070 (2007).
2. Watts, G.S., Pieper, R.O., Costello, J.F., *et al.* Methylation of discrete regions of the O⁶-methylguanine DNA methyltransferase (MGMT) CpG island is associated with heterochromatinization of the MGMT transcription start site and silencing of the gene. *Mol. Cell. Biol.* **17(9)**, 5612-5619 (1997).

CAYMAN CHEMICAL
1180 EAST ELLSWORTH RD
ANN ARBOR, MI 48108 · USA
PHONE: [800] 364-9897
[734] 971-3335
FAX: [734] 971-3640
CUSTSERV@CAYMANCHEM.COM
WWW.CAYMANCHEM.COM