



# SZABO SCANDIC

Part of Europa Biosite

## Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!  
See the following pages for more information!



### Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

### Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

[mail@szabo-scandic.com](mailto:mail@szabo-scandic.com)

[www.szabo-scandic.com](http://www.szabo-scandic.com)

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

# PRODUCT INFORMATION



## JMJD2A (human, recombinant; Strep-tagged)


Item No. 11299

### Overview and Properties


**Synonyms:** JHDM3A, Jumonji Domain Containing 2A, KDM4A, Lysine (K)-specific Demethylase 4A  
**Source:** Recombinant N-terminal Strep II-tagged protein expressed in *E. coli*  
**Amino Acids:** 2-350  
**Uniprot No.:** O75164  
**Molecular Weight:** 42.7 kDa  
**Storage:** -80°C (as supplied)  
**Stability:** ≥6 months  
**Purity:** *batch specific* (≥95% estimated by SDS-PAGE)  
**Supplied in:** 20 mM HEPES, pH 7.4, and 150 mM NaCl  
**Protein Concentration:** *batch specific* mg/ml

Information represents the product specifications. Batch specific analytical results are provided on each certificate of analysis.

### Images



Lane 1: MW Markers  
Lane 2: JMJD2A (2 µg)  
Lane 3: JMJD2A (4 µg)  
Lane 4: JMJD2A (6 µg)



WARNING  
THIS PRODUCT IS FOR RESEARCH ONLY - NOT FOR HUMAN OR VETERINARY DIAGNOSTIC OR THERAPEUTIC USE.

SAFETY DATA  
This material should be considered hazardous until further information becomes available. Do not ingest, inhale, get in eyes, on skin, or on clothing. Wash thoroughly after handling. Before use, the user must review the complete Safety Data Sheet, which has been sent via email to your institution.

WARRANTY AND LIMITATION OF REMEDY  
Buyer agrees to purchase the material subject to Cayman's Terms and Conditions. Complete Terms and Conditions including Warranty and Limitation of Liability information can be found on our website.

Copyright Cayman Chemical Company, 11/03/2021

CAYMAN CHEMICAL  
1180 EAST ELLSWORTH RD  
ANN ARBOR, MI 48108 · USA  
PHONE: [800] 364-9897  
[734] 971-3335  
FAX: [734] 971-3640  
CUSTSERV@CAYMANCHEM.COM  
WWW.CAYMANCHEM.COM

# PRODUCT INFORMATION



## Description

---

Jumonji Domain Containing 2A (JMJD2A) is a lysine-specific demethylase that catalyzes the demethylation of histone H3 at lysine residues 9 and 36 and histone H1.4 at lysine residue 26.<sup>1-3</sup> It is composed of the JmjN N-terminal domain, JmjC catalytic domain, two plant homeodomains (PHDs), and two tudor domains that recognize the methylated histones.<sup>3</sup> JMJD2A is ubiquitously expressed and localized to the nucleus.<sup>4</sup> It is involved in the regulation of gene expression in a context-dependent manner, having roles in both transcriptional silencing and activation of androgen and estrogen receptors (ERs).<sup>3</sup> Knockdown of JMJD2A inhibits the proliferation of ER-positive and -negative breast cancer cells and induces apoptosis and cell cycle arrest in colon cancer cells. It is overexpressed in various cancers, including prostate, lung, and colorectal, as well as glioblastomas and endometrial carcinomas, and is associated with higher tumor grade and decreased disease-free survival in breast cancer.<sup>5</sup> Cayman's JMJD2A (human, recombinant; Strep-tagged) can be used for enzyme activity and Western blot (WB) applications.

## References

---

1. Couture, J.-F., Collazo, E., Ortiz-Tello, P.A., *et al.* Specificity and mechanism of JMJD2A, a trimethyllysine-specific histone demethylase. *Nat. Struct. Mol. Biol.* **14(8)**, 689-695 (2007).
2. Lee, J., Thompson, J.R., Botuyan, M.V., *et al.* Distinct binding modes specify the recognition of methylated histones H3K4 and H4K20 by JMJD2A-tudor. *Nat. Struct. Mol. Biol.* **15(1)**, 109-111 (2008).
3. Berry, W.L. and Janknecht, R. KDM4/JMJD2 histone demethylases: Epigenetic regulators in cancer cells. *Cancer Res.* **73(10)**, 2936-2942 (2013).
4. Gray, S.G., Iglesias, A.H., Lizcano, F., *et al.* Functional characterization of JMJD2A, a histone deacetylase- and retinoblastoma-binding protein. *J. Biol. Chem.* **280(31)**, 28507-28518 (2005).
5. Lee, D.H., Kim, G.W., Jeon, Y.H., *et al.* Advances in histone demethylase KDM4 as cancer therapeutic targets. *FASEB J.* **34(3)**, 3461-3484 (2020).

CAYMAN CHEMICAL  
1180 EAST ELLSWORTH RD  
ANN ARBOR, MI 48108 · USA  
PHONE: [800] 364-9897  
[734] 971-3335  
FAX: [734] 971-3640  
CUSTSERV@CAYMANCHEM.COM  
WWW.CAYMANCHEM.COM