



**SZABO
SCANDIC**

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

linkedin.com/company/szaboscandic





PRODUCT INFORMATION

Glutaredoxin 1 (human) Polyclonal Antibody - Biotinylated

Item No. 11546

Overview and Properties

Contents:	This vial contains 50 µg of affinity-purified polyclonal antibody.
Synonyms:	Glrx1, Grx1, Thioltransferase 1, TTF1
Immunogen:	Recombinant human Grx1
Species Reactivity:	(+) Human
Form:	Liquid
Storage:	-20°C (as supplied)
Stability:	≥3 years
Storage Buffer:	PBS, pH 7.5, with 15 mM sodium azide
Concentration:	0.63 mg/ml
Host:	Goat
Applications:	ELISA, immunohistochemistry (IHC), and Western blot (WB); the recommended starting dilution for ELISA and WB is 1:500-1:1,000 µg/ml and 10 µg/ml for IHC. Other applications were not tested, therefore optimal working concentration/dilution should be determined empirically.

WARNING
THIS PRODUCT IS FOR RESEARCH ONLY - NOT FOR HUMAN OR VETERINARY DIAGNOSTIC OR THERAPEUTIC USE.

SAFETY DATA

This material should be considered hazardous until further information becomes available. Do not ingest, inhale, get in eyes, on skin, or on clothing. Wash thoroughly after handling. Before use, the user must review the complete Safety Data Sheet, which has been sent via email to your institution.

WARRANTY AND LIMITATION OF REMEDY

Buyer agrees to purchase the material subject to Cayman's Terms and Conditions. Complete Terms and Conditions including Warranty and Limitation of Liability information can be found on our website.

Copyright Cayman Chemical Company, 10/23/2023

CAYMAN CHEMICAL
1180 EAST ELLSWORTH RD
ANN ARBOR, MI 48108 - USA
PHONE: [800] 364-9897
[734] 971-3335
FAX: [734] 971-3640
CUSTSERV@CAYMANCHEM.COM
WWW.CAYMANCHEM.COM

PRODUCT INFORMATION

Description

Glutaredoxin 1 (Grx1) is a thiol-disulfide oxidoreductase and member of the thioredoxin family encoded by *GLRX1* with a role in the maintenance of cellular thiol redox homeostasis.¹ It is ubiquitously expressed and localizes to the cytosol, nucleus, and mitochondrial intermembrane space. Grx1 is a dithiol Grx that contains two active site cysteine residues, which catalyze the deglutathionylation of protein disulfides and glutathionylated proteins to regulate redox signal transduction and repair oxidized proteins.²⁻⁴ Knockdown or overexpression of *GLRX1* enhances or reduces, respectively, oxidative stress-induced apoptosis in HEK293 T cells.⁵ *Grx1^{-/-}* mice have increased bronchoalveolar lavage fluid (BALF) macrophage infiltration and lung glutathionylated protein levels induced by cigarette smoke compared with wild-type mice.⁶ Grx1 levels are decreased in postmortem brain from patients with Parkinson's disease.⁴ Cayman's Glutaredoxin 1 (human) Polyclonal Antibody - Biotinylated can be used for ELISA, immunohistochemistry (IHC), and Western blot (WB) applications.

References

1. Hanschmann, E.-M., Godoy, J.R., Berndt, C., et al. Thioredoxins, glutaredoxins, and peroxiredoxins—molecular mechanisms and health significance: From cofactors to antioxidants to redox signaling. *Antioxid. Redox Signal.* **19**(13), 1539-1605 (2013).
2. Matsui, R., Ferran, B., Oh, A., et al. Redox regulation via glutaredoxin-1 and protein S-glutathionylation. *Antioxid. Redox Signal.* **32**(10), 677-700 (2020).
3. Lillig, C.H., Berndt, C., Vergnolle, O., et al. Characterization of human glutaredoxin 2 as iron-sulfur protein: A possible role as redox sensor. *Proc. Natl. Acad. Sci. USA* **102**(23), 8168-8173 (2005).
4. Miller, O.G. Critical roles of glutaredoxin in brain cells-implications for Parkinson's disease. *Antioxid. Redox Signal.* **30**(10), 1352-1368 (2018).
5. Yang, F., Yi, M., Liu, Y., et al. Glutaredoxin-1 silencing Induces cell senescence via p53/p21/p16 signaling axis. *J. Proteome Res.* **17**(3), 1091-1100 (2018).
6. Kuipers, I., Bracke, K.R., Brusselle, G.G., et al. Altered cigarette smoke-induced lung inflammation due to ablation of Grx1. *PLoS One* **7**(6), e38984 (2012).