

Produktinformation



Forschungsprodukte & Biochemikalien
Zellkultur & Verbrauchsmaterial
Diagnostik & molekulare Diagnostik
Laborgeräte & Service

Weitere Information auf den folgenden Seiten! See the following pages for more information!



Lieferung & Zahlungsart siehe unsere Liefer- und Versandbedingungen

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien T. +43(0)1 489 3961-0 F. +43(0)1 489 3961-7 <u>mail@szabo-scandic.com</u> www.szabo-scandic.com

PRODUCT INFORMATION



Prostaglandin D₂-1-glyceryl ester

Item No. 12015

CAS Registry No.: Formal Name:	309260-52-4 9α,15S-dihydroxy-11-oxo-prosta- 5Z,13E-dien-1-oic acid, 1-glyceryl ester	ОН	ОН
Synonym:	PGD ₂ -1-glyceryl ester	$\dot{\wedge}$ $\dot{\sim}$ $ \dot{\sim}$ $\dot{\sim}$	ОН
MF:	$C_{23}H_{38}O_7$	$\langle \gamma' \rangle \longrightarrow \langle \gamma' \rangle$	\sim \sim
FW:	426.6		
Purity:	≥95% (as a 9:1 mixture of the 1- and		
	2-glyceryl esters)	о́н	
Stability:	≥1 year at -80°C		
Supplied as:	A solution in acetonitrile		

Laboratory Procedures

For long term storage, we suggest that prostagland in D_2 -1-glyceryl ester (PGD₂-1-glyceryl ester) be stored as supplied at -80°C. It should be stable for at least one year.

PGD₂-1-glyceryl ester is supplied as a solution in acetonitrile. To change the solvent, simply evaporate the acetonitrile under a gentle stream of nitrogen and immediately add the solvent of choice. Solvents such as ethanol, DMSO, and dimethyl formamide purged with an inert gas can be used. The solubility of PGD₂-1-glyceryl ester in these solvents is approximately 10 mg/ml.

Further dilutions of the stock solution into aqueous buffers or isotonic saline should be made prior to performing biological experiments. Ensure that the residual amount of organic solvent is insignificant, since organic solvents may have physiological effects at low concentrations. If an organic solvent-free solution of PGD₂-1-glyceryl ester is needed, it can be prepared by evaporating the acetonitrile and directly dissolving the neat oil in aqueous buffers. The solubility of PGD₂-1-glyceryl ester in PBS (pH 7.2) is approximately 0.1 mg/ml. We do not recommend storing the aqueous solution for more than one day.

Description

2-Arachidonoyl glycerol (2-AG; Item No. 62160) has been isolated from porcine brain, and has been characterized as the natural endocannabinoid ligand for the CB₁ receptor.^{1,2} Incubation of 2-AG with COX-2 and specific prostaglandin H_2 (PGH₂; Item No. 17020) isomerases in cell cultures and isolated enzyme preparations results in prostaglandin glycerol ester formation.³ The biosynthesis of PGH, PGD, PGE, PGF, and TXA-2-glyceryl ester compounds have all been documented. In RAW 264.7 cells, PGD₂-2-glyceryl ester is the main COX metabolite.³ The 2-glyceryl ester moiety equilibrates rapidly (within minutes) with the more stable 1-glyceryl ester, producing a 10:90 mixture of the 1- and 2-glyceryl esters in typical aqueous media. While the stability and metabolism of these PG products have been investigated, little is known about their intrinsic biological activity.4

References

- 1. Sugiura, T., Kodaka, T., Kondo, S., et al. Biochem. Biophys. Res. Commun. 229, 58-64 (1996).
- 2. Sugiura, T., Kodaka, T., Kondo, S., et al. J. Biochem. 122, 890-895 (1997).
- 3. Kozak, K.R., Crews, B.C., Morrow, J.D., et al. J. Biol. Chem. 277(47), 44877-44885 (2002).
- 4. Kozak, K.R., Crews, B.C., Ray, J.L., et al. J. Biol. Chem. 276(40), 36993-36998 (2001).

WARNING THIS PRODUCT IS FOR RESEARCH ONLY - NOT FOR HUMAN OR VETERINARY DIAGNOSTIC OR THERAPEUTIC USE.

SAFETY DATA

al should be considered hazardous until further information becomes available. Do not ingest, inhale, get in eyes, on skin, or on clothing. Wash thoroughly after handling. Before use, the user must review the complete Safety Data Sheet, which has been sent via email to your institution

WARRANTY AND LIMITATION OF REMEDY

Suyer agrees to purchase the material subject to Cayman's Terms and Conditions. Complete Terms and Conditions including Warranty and Limitation of Liability information can be found on our website.

Copyright Cayman Chemical Company, 03/03/2016

CAYMAN CHEMICAL

1180 EAST ELLSWORTH RD ANN ARBOR, MI 48108 · USA PHONE: [800] 364-9897 [734] 971-3335 FAX: [734] 971-3640 CUSTSERV@CAYMANCHEM.COM WWW.CAYMANCHEM.COM