

Produktinformation



Forschungsprodukte & Biochemikalien
Zellkultur & Verbrauchsmaterial
Diagnostik & molekulare Diagnostik
Laborgeräte & Service

Weitere Information auf den folgenden Seiten! See the following pages for more information!



Lieferung & Zahlungsart siehe unsere Liefer- und Versandbedingungen

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien T. +43(0)1 489 3961-0 F. +43(0)1 489 3961-7 <u>mail@szabo-scandic.com</u> www.szabo-scandic.com

PRODUCT INFORMATION



CAY10590

Item No. 13181

CAS Registry No.:	1101136-50-8	
Formal Name:	4-[(1-oxo-7-phenylheptyl)amino]-	
	(4R)-octanoic acid	
MF:	C ₂₁ H ₃₃ NO ₃	
FW:	347.5 ³ ^{COOI}	1
Purity:	≥98% 0	
Supplied as:	A crystalline solid	
Storage:	-20°C	
Stability:	≥4 years	
Information represent	the preduct exciting the preside exciting and tight any lite are previded on each continues of an elucio	

Information represents the product specifications. Batch specific analytical results are provided on each certificate of analysis.

Laboratory Procedures

CAY10590 is supplied as a crystalline solid. A stock solution may be made by dissolving the CAY10590 in the solvent of choice, which should be purged with an inert gas. CAY10590 is soluble in organic solvents such as ethanol, DMSO, and dimethyl formamide. The solubility of CAY10590 in these solvents is approximately 30, 20, and 25, respectively.

Description

Phospholipase A_2 (PLA₂) catalyzes the hydrolysis of fatty acids at the sn-2 position of glycerophospholipids, liberating arachidonic acid for subsequent eicosanoid synthesis.¹ Three primary types of PLA_2 exist: secretory (sPLA₂), calcium-dependent cytosolic (cPLA₂), and calcium-independent cytosolic (iPLA₂).² Of these three enzymes, cPLA₂ is the rate-limiting stimulus for release of arachidonic acid whereas sPLA₂ amplifies the action of cPLA₂ and regulates phagocytosis and foam cell formation.³ CAY10590, a simple amide based on (R)- γ -norleucine, is a potent and selective inhibitor of sPLA₂. It exhibits 95% inhibition (X₁(50) = 0.003) of $sPLA_2$ at 0.091 mole fraction without affecting the activities of $cPLA_2$ or $iPLA_2$.⁴

References

- 1. Dennis, E.A. Phospholipases. Enzymes. Boyer, P.D., editor, 3rd edition, Academic Press (1983).
- 2. Dennis, E.A. Diversity of group types, regulation, and function of phospholipase A2. J. Biol. Chem. 269(18), 13057-13060 (1994).
- Balestrieri, B. and Arm, J.P. Group V sPLA2: Classical and novel functions. Biochim. Biophys. Acta 1761(11), 3. 1280-1288 (2006).
- 4. Antonopoulou, G., Barbayianni, E., Magrioti, V., et al. Structure-activity relationships of natural and non-natural amino acid-based amide and 2-oxoamide inhibitors of human phospholipase A_2 enzymes. Bioorg. Med. Chem. 16(24), 10257-10269 (2008).

WARNING THIS PRODUCT IS FOR RESEARCH ONLY - NOT FOR HUMAN OR VETERINARY DIAGNOSTIC OR THERAPEUTIC USE.

SAFETY DATA

This material should be considered hazardous until further information becomes available. Do not ingest, inhale, get in eyes, on skin, or on clothing. Wash thoroughly after handling. Before use, the user must review the complete Safety Data Sheet, which has been sent via email to your institution.

WARRANTY AND LIMITATION OF REMEDY

uyer agrees to purchase the material subject to Cayman's Terms and Conditions. Complete Terms and Conditions including Warranty and Limitation of Liability information can be found on our website

Copyright Cayman Chemical Company, 03/11/2024

CAYMAN CHEMICAL

1180 EAST ELLSWORTH RD ANN ARBOR, MI 48108 · USA PHONE: [800] 364-9897 [734] 971-3335 FAX: [734] 971-3640 CUSTSERV@CAYMANCHEM.COM WWW.CAYMANCHEM.COM