



# SZABO SCANDIC

Part of Europa Biosite

## Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!  
See the following pages for more information!



### Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

### Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

[mail@szabo-scandic.com](mailto:mail@szabo-scandic.com)

[www.szabo-scandic.com](http://www.szabo-scandic.com)

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 



## Anti-DYKDDDDK conjugated to SureLight™ APC

Product Number D3-1718-100  
Amount 100 µg total protein  
Store at 2-8°C

### Form/Shipping & Storage

Supplied lyophilized. Upon receipt, store at -20 °C. Reconstitute with 1 ml of ddH<sub>2</sub>O and store at 2-8 °C. Phycobiliproteins are sensitive to freeze-thaw cycles.

### Handling

We recommend that the investigator determine the appropriate working concentration for their specific application. Avoid exposure to heat and light.

### Buffer

Upon reconstitution, the product is in 10 mM tris (pH 8.2) + 150 mM NaCl + 50 mM Sucrose + 1 µg/mL pentachlorophenol + 0.1% BSA.

### Stability

Product should be stored at 2-8°C in the dark and be used within 6 months after reconstitution. If further dilution of the conjugate is required, use diluted material within one month.

### Spectral Characteristics

Visible absorption maxima 652  
Emission maximum 657


### Concentration

Upon reconstitution with 1 ml ddH<sub>2</sub>O:

Total Protein = 0.105 mg/ml  
[-DYKDDDDK] = 0.411 µM  
[SureLight™ APC] = 0.377 µM

### Note

For research use only, not for diagnostic or therapeutic use.



Fluorescence excitation and emission spectra of APC in 100 mM sodium phosphate (pH 7.2) + 1 mM EDTA and 1 mM sodium azide. The emission scan was taken with excitation at 630 nm. The excitation scan was taken with an emission at 660 nm. The curves were normalized to equalize peak heights.

4985 Winchester Blvd. Frederick, MD 21703  
301.732.5415

[www.columbiabiosciences.com](http://www.columbiabiosciences.com)

For technical inquiries: [info@columbiabiosciences.com](mailto:info@columbiabiosciences.com)

For sales inquiries: [sales@columbiabiosciences.com](mailto:sales@columbiabiosciences.com)



## Anti-DYKDDDDK conjugated to SureLight™ APC

Product Number D3-1718  
Amount 1.0 mg total protein  
Store at 2-8°C

### Form/Shipping & Storage

Supplied lyophilized. Upon receipt, store at -20°C. Reconstitute with 1 ml of ddH<sub>2</sub>O and store at 2-8°C. Phycobiliproteins are sensitive to freeze-thaw cycles.

### Handling

We recommend that the investigator determine the appropriate working concentration for their specific application. Avoid exposure to heat and light.

### Buffer


Upon reconstitution, the product is in 10 mM tris (pH 8.2) + 150 mM NaCl + 50 mM Sucrose + 1 µg/mL pentachlorophenol + 0.1% BSA.

### Stability

Product should be stored at 2-8°C in the dark and be used within 6 months after reconstitution. If further dilution of the conjugate is required, use diluted material within one month.

### Note

For research use only, not for diagnostic or therapeutic use.



Fluorescence excitation and emission spectra of APC in 100 mM sodium phosphate (pH 7.2) + 1 mM EDTA and 1 mM sodium azide. The emission scan was taken with excitation at 630 nm. The excitation scan was taken with an emission at 660 nm. The curves were normalized to equalize peak heights.

### Spectral Characteristics

Visible absorption maxima	652
Emission maximum	657

### Concentration

Upon reconstitution with 1 ml ddH<sub>2</sub>O:

Total Protein	= 1.14 mg/ml
[α-DYKDDDDK]	= 4.29 µM
[SureLight™ APC]	= 4.31 µM

4985 Winchester Blvd. Frederick, MD 21703  
301.732.5415

www.columbiabiosciences.com  
For technical inquiries: info@columbiabiosciences.com  
For sales inquiries: sales@columbiabiosciences.com