



# SZABO SCANDIC

Part of Europa Biosite

## Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!  
See the following pages for more information!



### Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

### Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

[mail@szabo-scandic.com](mailto:mail@szabo-scandic.com)

[www.szabo-scandic.com](http://www.szabo-scandic.com)


[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

# PRODUCT INFORMATION



## 4(Z),7(Z)-Decadienoic Acid-d<sub>5</sub> Item No. 14896

**Formal Name:** deca-4Z,7Z-dienoic-9,9',10,10,10-d<sub>5</sub> acid  
**MF:** C<sub>10</sub>H<sub>11</sub>D<sub>5</sub>O<sub>2</sub>  
**FW:** 173.3  
**Chemical Purity:** ≥90% (4(Z),7(Z)-Decadienoic Acid)  
**Deuterium Incorporation:** ≥99% deuterated forms (d<sub>1</sub>-d<sub>5</sub>); ≤1% d<sub>0</sub>  
**Supplied as:** A solution in ethanol  
**Storage:** -20°C  
**Stability:** ≥1 year



Information represents the product specifications. Batch specific analytical results are provided on each certificate of analysis.

### Laboratory Procedures

4(Z),7(Z)-Decadienoic acid-d<sub>5</sub> is intended for use as an internal standard for the quantification of 4(Z),7(Z)-decadienoic acid by GC- or LC-MS. The accuracy of the sample weight in this vial is between 5% over and 2% under the amount shown on the vial. If better precision is required, the deuterated standard should be quantitated against a more precisely weighed unlabeled standard by constructing a standard curve of peak intensity ratios (deuterated versus unlabeled).

4(Z),7(Z)-Decadienoic acid-d<sub>5</sub> is supplied as a solution in ethanol. To change the solvent, simply evaporate the ethanol under a gentle stream of nitrogen and immediately add the solvent of choice. Solvents such as DMSO and dimethyl formamide purged with an inert gas can be used. The solubility of 4(Z),7(Z)-decadienoic acid-d<sub>5</sub> in these solvents is approximately 50 mg/ml.

### Description

4(Z),7(Z)-Decadienoic acid-d<sub>5</sub> is an impurity generated during the synthesis of docosahexaenoic acid-d<sub>5</sub> (Item No. 10005057). While the physiological properties of this compound are not known, dietary intake of n-3 polyunsaturated fatty acids provides potential health benefits.<sup>1</sup>

### Reference

1. Vaughan, V.C., Hassing, M.-R., and Lewandowski, P.A. Marine polyunsaturated fatty acids and cancer therapy. *Br. J. Cancer* **108**, 486-492 (2013).

#### WARNING

THIS PRODUCT IS FOR RESEARCH ONLY - NOT FOR HUMAN OR VETERINARY DIAGNOSTIC OR THERAPEUTIC USE.

#### SAFETY DATA

This material should be considered hazardous until further information becomes available. Do not ingest, inhale, get in eyes, on skin, or on clothing. Wash thoroughly after handling. Before use, the user must review the [complete](#) Safety Data Sheet, which has been sent via email to your institution.

#### WARRANTY AND LIMITATION OF REMEDY

Buyer agrees to purchase the material subject to Cayman's Terms and Conditions. Complete Terms and Conditions including Warranty and Limitation of Liability information can be found on our website.

Copyright Cayman Chemical Company, 02/07/2018

#### CAYMAN CHEMICAL

1180 EAST ELLSWORTH RD  
ANN ARBOR, MI 48108 · USA

**PHONE:** [800] 364-9897  
[734] 971-3335

**FAX:** [734] 971-3640

CUSTSERV@CAYMANCHEM.COM  
WWW.CAYMANCHEM.COM