

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten! See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere Liefer- und Versandbedingungen

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

linkedin.com/company/szaboscandic in



Product Information



Xanthohumol

Item No. 15399

CAS Registry No.: 6754-58-1

Formal Name: (2E)-1-[2,4-dihydroxy-6-methoxy-3-

(3-methyl-2-buten-1-yl)phenyl]-3-(4-

hydroxyphenyl)-2-propen-1-one

MF: $C_{21}H_{22}O_5$ FW: 354.4 **Purity:** ≥98%

Stability: ≥2 years at -20°C Supplied as: A crystalline solid UV/Vis.: λ_{max} : 348, 368 nm

Laboratory Procedures

For long term storage, we suggest that xanthohumol be stored as supplied at -20°C. It should be stable for at least two

Xanthohumol is supplied as a crystalline solid. A stock solution may be made by dissolving the xanthohumol in the solvent of choice. Xanthohumol is soluble in organic solvents such as ethanol, DMSO, and dimethyl formamide (DMF), which should be purged with an inert gas. The solubility of xanthohumol in ethanol and DMF is approximately 3 mg/ml and approximately 2.5 mg/ml in DMSO.

Xanthohumol is sparingly soluble in aqueous buffers. For maximum solubility in aqueous buffers, xanthohumol should first be dissolved in DMSO and then diluted with the aqueous buffer of choice. Xanthohumol has a solubility of approximately 0.25 mg/ml in a 1:3 solution of DMSO:PBS (pH 7.2) using this method. We do not recommend storing the aqueous solution for more than one day.

Xanthohumol is a natural prenylated chalcone isolated from the hop plant, H. lupulus. Xanthohumol and its metabolites induce protective detoxification enzymes, at least in part via the nuclear factor erythroid-2-related factor 2 pathway. 1,2 It inhibits phosphoinositide-dependent kinase 1 (IC_{50} = 6.6 μM) but not PKC in an *in vitro* assay.³ Xanthohumol also can have anti-inflammatory, antioxidant, anti-carcinogenic, and osteogenic effects. 4-6

References

- 1. Krajka-Kuzniak, V., Paluszczak, J., and Baer-Dubowska, W. Xanthohumol induces phase II enzymes via Nrf2 in human hepatocytes in vitro. Toxicol. In Vitro 27(1), 149-156 (2013).
- Dietz, B.M. and Bolton, J.L. Biological reactive intermediates (BRIs) formed from botanical dietary supplements. Chem. Biol. Interact. 192(1-2), 72-80 (2011).
- Lauro, G., Masullo, M., Piacente, S., et al. Inverse virtual screening allows the discovery of the biological activity of natural compounds. Bioorg. Med. Chem. 20(11), 3596-3602 (2012).
- Costa, R., Negrćo, R., Valente, I., et al. Xanthohumol modulates inflammation, oxidative stress, and angiogenesis in type 1 diabetic rat skin wound healing. J. Nat. Prod. 76(11), 2047-2053 (2013).
- Venč, R., Benelli, R., Minghelli, S., et al. Xanthohumol impairs human prostate cancer cell growth and invasion and diminishes the incidence and progression of advanced tumors in TRAMP mice. Mol. Med. 18, 1292-1302 (2012).
- Schilling, T., Ebert, R., Raaijmakers, N., et al. Effects of phytoestrogens and other plant-derived compounds on mesenchymal stem cells, bone maintenance and regeneration. J. Steroid Biochem. Mol. Biol. 139, 252-261 (2014).

Related Products

For a list of related products please visit: www.caymanchem.com/catalog/15399

WARNING: This product is for laboratory research only: not for administration to humans. Not for human or veterinary DIAGNOSTIC OR THERAPEUTIC USE.

This material should be considered hazardous until information to the contrary becomes available. Do not ingest, swallow, or inhale. Do not get in eyes, on skin, or on clothing. Wash thoroughly after handling. This information contains some, but not all, of the information required for the safe and proper use of this material. Before use, the user must review the complete Safety Data Sheet,

Cayman Chemical Company makes **no warranty or guarantee** of any kind, whether written or oral, expressed or implied, including without limitation, any warranty of fitness for a particular prose, suitability and merchantability, which extends beyond the description of the chemicals hereof. Cayman warrants only to the original customer that the material will meet our specifications

purpose, suitability and merchantaoniny, which extends beyond the description of the delivery.

Cayman will carry out its delivery obligations with due care and skill. Thus, in no event will Cayman have any obligation or liability, whether in tort (including negligence) or in contract, for any direct, incidental or consequential damages, even if Cayman is informed about their possible existence.

This limitation of liability does not apply in the case of intentional acts or negligence of Cayman, its directors or its employees.

Buyer's exclusive remedy and Cayman's sole liability hereunder shall be limited to a refund of the purchase price, or at Cayman's option, the replacement, at no cost to Buyer, of all material that

tools not mere our specifications.

Said refund or replacement is conditioned on Buyer giving written notice to Cayman within thirty (30) days after arrival of the material at its destination. Failure of Buyer to give said notice within thirty (30) days shall constitute a waiver by Buyer of all claims hereunder with respect to said material.

For further details, please refer to our Warranty and Limitation of Remedy located on our website and in our catalog.

Copyright Cayman Chemical Company, 02/25/2014

Cayman Chemical

Mailing address

1180 E. Ellsworth Road Ann Arbor, MI 48108 USA

(800) 364-9897 (734) 971-3335

(734) 971-3640

custserv@caymanchem.com

www.caymanchem.com