

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten! See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere Liefer- und Versandbedingungen

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

linkedin.com/company/szaboscandic in



PRODUCT INFORMATION



Nobiletin

Item No. 15421

CAS Registry No.: 478-01-3

Formal Name: 2-(3,4-dimethoxyphenyl)-5,6,7,8-

tetramethoxy-4H-1-benzopyran-4-one

Synonyms: NSC 76751, NSC 618903

MF: $C_{21}H_{22}O_8$ 402.4 FW: **Purity:** ≥98%

UV/Vis.: λ_{max} : 208, 248, 271, 333 nm

Supplied as: A crystalline solid

Storage: -20°C Stability: ≥2 years

Plant/Citrus reticulata Blanco Item Origin:

Information represents the product specifications. Batch specific analytical results are provided on each certificate of analysis.

Laboratory Procedures

Nobiletin is supplied as a crystalline solid. A stock solution may be made by dissolving the nobiletin in the solvent of choice, which should be purged with an inert gas. Nobiletin is soluble in organic solvents such as ethanol, DMSO, and dimethyl formamide (DMF). The solubility of nobiletin in these solvents is approximately 0.3, 10, and 15 mg/ml, respectively.

Nobiletin is sparingly soluble in aqueous buffers. For maximum solubility in aqueous buffers, nobiletin should first be dissolved in DMF and then diluted with the aqueous buffer of choice. Nobiletin has a solubility of approximately 0.5 mg/ml in a 1:1 solution of DMF:PBS (pH 7.2) using this method. We do not recommend storing the aqueous solution for more than one day.

Description

Nobiletin is a polymethoxylated flavonoid that has been found in C. unshiu and has diverse biological activities. 1-3 It reduces LPS- and IFN-y-induced increases in inducible nitric oxide synthase (iNOS) protein levels and NO production in RAW 264.7 cells when used at concentrations of 25, 50, and 100 μM.¹ Nobiletin decreases proliferation of A549 lung, B16/4A5 melanoma, CCRF-HSB-2 leukemia, and TGBC11TKB gastric cancer cell lines with IC₅₀ values of 22, 18, 13, and 8.3 μM, respectively.² Dietary administration of nobiletin (0.3% w/w) reduces body weight, hepatic steatosis, and plasma LDL and HDL cholesterol levels in mice fed a high-fat, high-cholesterol diet for 18 weeks.³ It also inhibits increases in plasma glucose levels in an intraperitoneal glucose tolerance test in the same model.

References

- 1. Murakami, A., Nakamura, Y., Torikai, K., et al. Inhibitory effect of citrus nobiletin on phorbol ester-induced skin inflammation, oxidative stress, and tumor promotion in mice. Cancer Res. 60(18), 5059-5066 (2000).
- 2. Kawaii, S., Tomono, Y., Katase, E., et al. Antiproliferative activity of flavonoids on several cancer cell lines. Biosci. Biotechnol. Biochem. 63(5), 896-899 (1999).
- Morrow, N.M., Burke, A.C., Samsoondar, J.P., et al. The citrus flavonoid nobiletin confers protection frommetabolic dysregulation in high-fat-fed mice independent of AMPK. J. Lipid Res. 61(3), 387-402 (2020).

WARNING
THIS PRODUCT IS FOR RESEARCH ONLY - NOT FOR HUMAN OR VETERINARY DIAGNOSTIC OR THERAPEUTIC USE.

This material should be considered hazardous until further information becomes available. Do not ingest, inhale, get in eyes, on skin, or on clothing. Wash thoroughly after handling. Before use, the user must review the complete Safety Data Sheet, which has been sent via email to your institution.

WARRANTY AND LIMITATION OF REMEDY

subject to Cayman's Terms and Conditions. Complete Terms and Conditions including Warranty and Limitation of Liability information can be found on our website

Copyright Cayman Chemical Company, 08/12/2020

CAYMAN CHEMICAL

1180 EAST ELLSWORTH RD ANN ARBOR, MI 48108 · USA PHONE: [800] 364-9897

[734] 971-3335

FAX: [734] 971-3640 CUSTSERV@CAYMANCHEM.COM WWW.**CAYMANCHEM**.COM