



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

PRODUCT INFORMATION




Actinotetraose Hexatiglate

Item No. 19434

CAS Registry No.: 216590-44-2
Formal Name: O-3,4-bis-O-[(2E)-2-methyl-1-oxo-2-buten-1-yl]-β-D-glucopyranosyl-(1→2)-6-O-[(2E)-2-methyl-1-oxo-2-buten-1-yl]-α-D-glucopyranosyl-(1→2)-α-D-glucopyranoside, 2-[(2E)-2-methyl-2-butenate

Synonym: Tigloside
MF: C₅₄H₇₈O₂₇
FW: 1,159.2
Purity: ≥95%
Supplied as: A powder
Storage: -20°C
Stability: As supplied, 2 years from the QC date provided on the Certificate of Analysis, when stored properly



Laboratory Procedures

Actinotetraose hexatiglate is supplied as a powder. A stock solution may be made by dissolving the actinotetraose hexatiglate in the solvent of choice. Actinotetraose hexatiglate is soluble in organic solvents such as ethanol, methanol, DMSO, and dimethyl formamide, which should be purged with an inert gas.

Actinotetraose hexatiglate is sparingly soluble in aqueous solutions. To enhance aqueous solubility, dilute the organic solvent solution into aqueous buffers or isotonic saline. If performing biological experiments, ensure the residual amount of organic solvent is insignificant, since organic solvents may have physiological effects at low concentrations. We do not recommend storing the aqueous solution for more than one day.

Description

Actinotetraose hexatiglate is a unique tetrasaccharide with six tiglate esters that was isolated from an *Amycolatopsis* culture.¹ The sugar is distinguished by a two-fold axis of symmetry and is a co-metabolite of quinaldopeptin, a cytotoxic antibiotic with anthelmintic activity.¹ The biological role of this metabolite is not known but is suspected to lack antimicrobial activity.¹

Reference

1. Rickards, R.W., Rothschild, J.M., and Lacey, E. Structure of actinotetraose hexatiglate, a unique glucotetraose from an actinomycete bacterium. *J. Antibiot. (Tokyo)* **51(12)**, 1093-1098 (1998).

WARNING

THIS PRODUCT IS FOR RESEARCH ONLY - NOT FOR HUMAN OR VETERINARY DIAGNOSTIC OR THERAPEUTIC USE.

SAFETY DATA

This material should be considered hazardous until further information becomes available. Do not ingest, inhale, get in eyes, on skin, or on clothing. Wash thoroughly after handling. Before use, the user must review the complete Safety Data Sheet, which has been sent via email to your institution.

WARRANTY AND LIMITATION OF REMEDY

Buyer agrees to purchase the material subject to Cayman's Terms and Conditions. Complete Terms and Conditions including Warranty and Limitation of Liability information can be found on our website.

Copyright Cayman Chemical Company, 05/04/2016

CAYMAN CHEMICAL

1180 EAST ELLSWORTH RD

ANN ARBOR, MI 48108 · USA

PHONE: [800] 364-9897

[734] 971-3335

FAX: [734] 971-3640

CUSTSERV@CAYMANCHEM.COM

WWW.CAYMANCHEM.COM