

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten! See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere Liefer- und Versandbedingungen

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

linkedin.com/company/szaboscandic in



PRODUCT INFORMATION



5'-N-Ethylcarboxamidoadenosine (hydrate)

Item No. 21420

Formal Name: 1-(6-amino-9H-purin-9-yl)-1-deoxy-N-

ethyl-\u03b3-D-ribofuranuronamide, hydrate

Synonyms: Adenosine 5'-ethylcarboxamide, NECA

MF: C₁₂H₁₆N₆O₄ • XH₂O

FW: 308.3 **Purity:** ≥98% UV/Vis.: λ_{max} : 260 nm Supplied as: A solid

Storage: -20°C Stability: ≥2 years • XH₂O

Information represents the product specifications. Batch specific analytical results are provided on each certificate of analysis.

Laboratory Procedures

5'-N-Ethylcarboxamidoadenosine (NECA) (hydrate) is supplied as a solid. A stock solution may be made by dissolving the NECA (hydrate) in the solvent of choice, which should be purged with an inert gas. NECA (hydrate) is soluble in organic solvents such as ethanol, DMSO, and dimethyl formamide. The solubility of NECA (hydrate) in these solvents is approximately 2, 14, and 25 mg/ml, respectively.

Further dilutions of the stock solution into aqueous buffers or isotonic saline should be made prior to performing biological experiments. Ensure that the residual amount of organic solvent is insignificant, since organic solvents may have physiological effects at low concentrations. Organic solvent-free aqueous solutions of NECA (hydrate) can be prepared by directly dissolving the solid in aqueous buffers. The solubility of NECA (hydrate) in PBS, pH 7.2, is approximately 10 mg/ml. We do not recommend storing the aqueous solution for more than one day

Description

NECA is an adenosine analog that acts as an agonist of adenosine receptors (K_i s = 1,880, 6,660, and 3.5 nM for human adenosine subtypes A_1 , A_{2A} , and A_3 , respectively). NECA is reported to act as a potent vasodilator and can inhibit platelet aggregation by increasing cAMP (EC₅₀ = $3.1 \mu M$).^{2,3}

References

- 1. Volpini, R., Dal ben, D., Lambertucci, C., et al. No-methoxy-2-alkynyladenosine derivatives as highly potent and selective ligands at the human A₃ adenosine receptor. J. Med. Chem. 50(6), 1222-1230 (2007).
- 2. de Zwart, M., Link, R., von Frijtag Drabbe Künzel, J.K., et al. A functional screening of adenosine analogues at the adenosine A_{2B} receptor: A search for potent agonists. Nucleosides Nucleotides 17(6), 969-985 (1998).
- 3. Cusack, N.J. and Hourani, S.M.O. 5'-N-ethylcarboxamidoadenosine: A potent inhibitor of human platelet aggregation. Br. J. Pharmacol. 72(3), 443-447 (1981).

WARNING
THIS PRODUCT IS FOR RESEARCH ONLY - NOT FOR HUMAN OR VETERINARY DIAGNOSTIC OR THERAPEUTIC USE.

This material should be considered hazardous until further information becomes available. Do not ingest, inhale, get in eyes, on skin, or on clothing. Wash thoroughly after handling. Before use, the user must review the complete Safety Data Sheet, which has been sent via email to your institution.

WARRANTY AND LIMITATION OF REMEDY

subject to Cayman's Terms and Conditions. Complete Terms and Conditions including Warranty and Limitation of Liability information can be found on our website

Copyright Cayman Chemical Company, 01/16/2020

CAYMAN CHEMICAL

1180 EAST ELLSWORTH RD ANN ARBOR, MI 48108 · USA PHONE: [800] 364-9897

[734] 971-3335

FAX: [734] 971-3640 CUSTSERV@CAYMANCHEM.COM WWW.**CAYMANCHEM**.COM