

## Produktinformation



Forschungsprodukte & Biochemikalien
Zellkultur & Verbrauchsmaterial
Diagnostik & molekulare Diagnostik
Laborgeräte & Service

Weitere Information auf den folgenden Seiten! See the following pages for more information!



Lieferung & Zahlungsart siehe unsere Liefer- und Versandbedingungen

### Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

#### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien T. +43(0)1 489 3961-0 F. +43(0)1 489 3961-7 <u>mail@szabo-scandic.com</u> www.szabo-scandic.com

# **PRODUCT** INFORMATION



 $(1R,9S)-(-)-\beta$ -Hydrastine

Item No. 22363

	440.00.4	
CAS Registry No.:	118-08-1	Ň O.
Formal Name:	(3S)-6,7-dimethoxy-3-[(5R)-5,6,7,8-	
	tetrahydro-6-methyl-1,3-dioxolo[4,5-g]	0,
	isoquinolin-5-yl]-1(3H)-isobenzofuranone	
MF:	$C_{21}H_{21}NO_6$	ó,
FW:	383.4	
Purity:	≥98%	H <sup>´</sup>
UV/Vis.:	λ <sub>max</sub> : 299 nm	
Supplied as:	A crystalline solid	
Storage:	-20°C	
Stability:	≥2 years	°

Information represents the product specifications. Batch specific analytical results are provided on each certificate of analysis.

#### Laboratory Procedures

 $(1R,9S)-(-)-\beta$ -Hydrastine is supplied as a crystalline solid. A stock solution may be made by dissolving the  $(1R,9S)-(-)-\beta$ -hydrastine in the solvent of choice.  $(1R,9S)-(-)-\beta$ -Hydrastine is soluble in organic solvents such as DMSO and dimethyl formamide, which should be purged with an inert gas. The solubility of  $(1R,9S)-(-)-\beta$ -hydrastine in these solvents is approximately 10 mg/ml.

#### Description

(1R,9S)-(-)-β-Hydrastine is an enantiomer of the alkaloid hydrastine that inhibits dopamine biosynthesis (IC<sub>50</sub> = 20.7  $\mu$ M in PC12 cells) by inhibiting tyrosine hydroxylase activity.<sup>1,2</sup> It inhibits dopamine release with an IC<sub>50</sub> value of 66.5  $\mu$ M in the presence of high extracellular K<sup>+</sup> levels. It also inhibits L-type and caffeine-activated store-operated Ca<sup>2+</sup> channels and prevents Ca<sup>2+</sup> leakage from intracellular stores.<sup>3,4</sup>

#### References

- 1. Kim, S.H., Shin, J.S., Lee, J.J., et al. Effects of hydrastine derivatives on dopamine biosynthesis in PC12 cells. Planta Med. 67(7), 609-613 (2001).
- 2. Yin, S.Y., Kim, Y.M., Lee, J.J., et al. Enantio-selective inhibition of (1R,9S)- and (1S,9R)-β-hydrastines on dopamine biosynthesis in PC12 cells. Neuropharmacology 47(7), 1045-1052 (2004).
- 3. Yin, S.Y., Kim, Y.M., Lee, J.J., et al. Effects of (1R,9S)-β-hydrastine on intracellular calcium concentration in PC12 cells. Biol. Pharm. Bull. 30(8), 1547-1550 (2007).
- 4. Yin, S.Y., Jin, C.M., Yang, Y.J., et al. Inhibitory effects of (1R,9S)-β-Hydrastine on calcium transport in PC12 cells. Arch. Pharm. Res. 30(1), 109-113 (2007).

WARNING THIS PRODUCT IS FOR RESEARCH ONLY - NOT FOR HUMAN OR VETERINARY DIAGNOSTIC OR THERAPEUTIC USE.

#### SAFFTY DATA

This material should be considered hazardous until further information becomes available. Do not ingest, inhale, get in eyes, on skin, or on clothing. Wash thoroughly after handling. Before use, the user must review the complete Safety Data Sheet, which has been sent via email to your institution.

#### WARRANTY AND LIMITATION OF REMEDY

Buyer agrees to purchase the material subject to Cayman's Terms and Conditions. Complete Terms and Conditions including Warranty and Limitation of Liability information can be found on our website.

Copyright Cayman Chemical Company, 09/29/2017

#### CAYMAN CHEMICAL

1180 EAST ELLSWORTH RD ANN ARBOR, MI 48108 · USA PHONE: [800] 364-9897 [734] 971-3335 FAX: [734] 971-3640 CUSTSERV@CAYMANCHEM.COM WWW.CAYMANCHEM.COM