



**SZABO
SCANDIC**

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

linkedin.com/company/szaboscandic



PRODUCT INFORMATION



TBK1 (human, recombinant)


Item No. 22817

Overview and Properties

Synonyms:	NAK, NF-κB-Activating Kinase, TANK-Binding Kinase 1
Source:	Human recombinant protein expressed in insect cells (baculovirus)
Amino acids:	1-729 (full length)
Uniprot No.:	Q9UHD2
Molecular Weight:	84 kDa
Storage:	-80°C (as supplied)
Stability:	≥1 year
Purity:	batch specific (≥50% estimated by SDS-PAGE)
Supplied in:	50 mM HEPES, pH 8.0, with 150 mM sodium chloride, and 10% glycerol
Protein	
Concentration:	batch specific mg/ml
Activity:	ATPase activity confirmed by ADP detection assay


Information represents the product specifications. Batch specific analytical results are provided on each certificate of analysis.

Images



Lane 1: MW Markers
Lane 2: TBK1 (2 µg)
Lane 3: TBK1 (4 µg)

Representative gel image shown; actual purity may vary between batches.



WARNING
THIS PRODUCT IS FOR RESEARCH ONLY - NOT FOR HUMAN OR VETERINARY DIAGNOSTIC OR THERAPEUTIC USE.

SAFETY DATA

This material should be considered hazardous until further information becomes available. Do not ingest, inhale, get in eyes, on skin, or on clothing. Wash thoroughly after handling. Before use, the user must review the complete Safety Data Sheet, which has been sent via email to your institution.

WARRANTY AND LIMITATION OF REMEDY

Buyer agrees to purchase the material subject to Cayman's Terms and Conditions. Complete Terms and Conditions including Warranty and Limitation of Liability information can be found on our website.

Copyright Cayman Chemical Company, 05/04/2020

CAYMAN CHEMICAL

1180 EAST ELLSWORTH RD
ANN ARBOR, MI 48108 - USA

PHONE: [800] 364-9897
[734] 971-3335

FAX: [734] 971-3640

CUSTSERV@CAYMANCHEM.COM
WWW.CAYMANCHEM.COM

PRODUCT INFORMATION



Description

TANK-binding kinase 1 (TBK1) is a non-canonical inhibitor of NF- κ B kinase (IKK) that has an essential role in regulating inflammatory responses to pathogens.¹ Following activation of toll-like receptors by viral DNA, TBK1 interacts with various partners such as STING, MAVS, and TANK to phosphorylate and activate interferon regulatory factors (IRFs) 3 and 7 as well as DEAD-box helicase 3 X-linked (DDX3X), which leads to transcriptional activation of pro-inflammatory and antiviral genes including interferon (IFN) subtypes α and β .^{1,2} TBK1 induces nuclear translocation of NF- κ B to initiate a pro-inflammatory response via phosphorylation of NF- κ B inhibitor α (NF κ BI α), IKK β , or NF- κ B p65 subunit (RelA).³ Cytosolic localization of *E. coli*, *Salmonella*, and *S. pyogenes* increases in *TBK1*^{-/-} murine embryonic fibroblasts, macrophages, and epithelial cells, suggesting TBK1 maintains vacuolar integrity, which is critical to bacterial clearance.⁴ TBK1 phosphorylates the autophagy receptor optineurin to enhance binding of ubiquitin-like microtubule-associated protein light chain 3 (LC3) modifiers and induce autophagic clearance of *S. enterica*.⁵ It also binds to severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) non-structural protein 13 (Nsp13), a helicase-triphosphatase and a component of the viral replicase-transcriptase complex.⁶ Cayman's TBK1 (human, recombinant) protein can be used for ELISA, Western blot and enzymatic assays.

References

1. Pomerantz, J.L. and Baltimore, D. NF- κ B activation by a signaling complex containing TRAF2, TANK and TBK1, a novel IKK-related kinase. *EMBO J.* **18**(23), 6694-6704 (1999).
2. Tanaka, Y. and Chen, Z.J. STING specifies IRF3 phosphorylation by TBK1 in the cytosolic DNA signaling pathway. *Sci. Signal* **5**(214), ra20 (2012).
3. Tojima, Y., Fujimoto, A., Delhase, M., et al. NAK is an I κ B kinase-activating kinase. *Nature* **404**, 778-782 (2000).
4. Radtke, A.L., Delbridge, L.M., Balachandran, S., et al. TBK1 protects vacuolar integrity during intracellular bacterial infection. *PLoS Pathog.* **3**(3), e29 (2007).
5. Wild, P., Farhan, H., McEwan, D.G., et al. Phosphorylation of the autophagy receptor optineurin restricts *Salmonella* growth. *Science* **333**(6039), 228-233 (2011).
6. Gordon, D.E., Jang, G.M., Bouhaddou, M. et al. A SARS-CoV-2-human protein-protein interaction map reveals drug targets and potential drug-repurposing. *BioRxiv* (2020).