



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 


PRODUCT INFORMATION



Citalopram (hydrobromide)

Item No. 23252

CAS Registry No.: 59729-32-7
Formal Name: 1-[3-(dimethylamino)propyl]-1-(4-fluorophenyl)-1,3-dihydro-5-isobenzofurancarbonitrile, monohydrobromide
Synonyms: Bonitrile, Lu 10-171B, Nitalapram
MF: C₂₀H₂₁FN₂O • HBr
FW: 405.3
Purity: ≥98%
Supplied as: A solid
Storage: -20°C
Stability: ≥2 years



Information represents the product specifications. Batch specific analytical results are provided on each certificate of analysis.

Description

Citalopram (hydrobromide) (Item No. 23252) is an analytical reference material categorized as an antidepressant.¹⁻³ This product is intended for use in analytical forensic applications. This product is also available as a general research tool (Item No. 14572).

This product is qualified as a Reference Material that has been manufactured and tested to ISO/IEC 17025 and ISO 17034 international standards for reference materials.

References

1. Millan, M.J., Gobert, A., Rivet, J.-M., *et al.* Mirtazapine enhances frontocortical dopaminergic and corticolimbic adrenergic, but not serotonergic, transmission by blockade of α_2 -adrenergic and serotonin_{2C} receptors: A comparison with citalopram. *Eur. J. Neurosci.* **12(3)**, 1079-1095 (2000).
2. Boothman, L.J., Mitchell, S.N., and Sharp, T. Investigation of the SSRI augmentation properties of 5-HT₂ receptor antagonists using *in vivo* microdialysis. *Neuropharmacology* **50(6)**, 726-732 (2006).
3. Bymaster, F.P., Zhang, W., Carter, P.A., *et al.* Fluoxetine, but not other selective serotonin uptake inhibitors, increases norepinephrine and dopamine extracellular levels in prefrontal cortex. *Psychopharmacology (Berl)* **160(4)**, 353-361 (2002).

WARNING

THIS PRODUCT IS FOR RESEARCH ONLY - NOT FOR HUMAN OR VETERINARY DIAGNOSTIC OR THERAPEUTIC USE.

SAFETY DATA

This material should be considered hazardous until further information becomes available. Do not ingest, inhale, get in eyes, on skin, or on clothing. Wash thoroughly after handling. Before use, the user must review the [complete](#) Safety Data Sheet, which has been sent via email to your institution.

WARRANTY AND LIMITATION OF REMEDY

Buyer agrees to purchase the material subject to Cayman's Terms and Conditions. Complete Terms and Conditions including Warranty and Limitation of Liability information can be found on our website.

Copyright Cayman Chemical Company, 10/02/2020

CAYMAN CHEMICAL

1180 EAST ELLSWORTH RD
ANN ARBOR, MI 48108 · USA

PHONE: [800] 364-9897
[734] 971-3335

FAX: [734] 971-3640

CUSTSERV@CAYMANCHEM.COM
WWW.CAYMANCHEM.COM