

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten! See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere Liefer- und Versandbedingungen

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

linkedin.com/company/szaboscandic in



PRODUCT INFORMATION



WHI-P258

Item No. 23453

CAS Registry No.: 21561-09-1

Formal Name: 6,7-dimethoxy-N-phenyl-4-quinazolinamine

MF: $C_{16}H_{15}N_3O_2$ FW: 281.3

Purity:

UV/Vis.: λ_{max} : 201, 223, 254, 346 nm

Supplied as: A crystalline solid

Storage: -20°C Stability: ≥4 years

Information represents the product specifications. Batch specific analytical results are provided on each certificate of analysis.

Laboratory Procedures

WHI-P258 is supplied as a crystalline solid. A stock solution may be made by dissolving the WHI-P258 in the solvent of choice, which should be purged with an inert gas. WHI-P258 is soluble in organic solvents such as DMSO and dimethyl formamide (DMF). The solubility of WHI-P258 in these solvents is approximately 15 and 25 mg/ml, respectively.

WHI-P258 is sparingly soluble in aqueous buffers. For maximum solubility in aqueous buffers, WHI-P258 should first be dissolved in DMF and then diluted with the aqueous buffer of choice. WHI-P258 has a solubility of approximately 0.5 mg/ml in a 1:1 solution of DMF:PBS (pH 7.2) using this method. We do not recommend storing the aqueous solution for more than one day.

Description

WHI-P258 is a quinazoline compound that modeling studies suggested would bind to the active site of JAK3 with an estimated K_i value of 72 μ M.¹ However, it is inactive at JAK3 (IC₅₀ = >300 μ M) and has been used as a negative control for structurally similar compounds that inhibit platelet aggregation and herpes simplex virus 1 (HSV-1) replication.^{2,3}

References

- 1. Sudbeck, E.A., Liu, X.P., Narla, R.K., et al. Structure-based design of specific inhibitors of janus kinase 3 as apoptosis-inducing antileukemic agents. Clin. Cancer Res. 5(6), 1569-1582 (1999).
- Yakota, S.-i., Yokosawa, N., Okabayashi, T., et al. Induction of suppressor of cytokine signaling-3 by herpes simplex virus type 1 confers efficient viral replication. Virology 338(1), 173-181 (2005).
- Tibbles, H.E., Vassilev, A., Wendorf, H., et al. Role of a JAK3-dependent biochemical signaling pathway in platelet activation and aggregation. J. Biol. Chem. 276(21), 17815-17822 (2001).

WARNING
THIS PRODUCT IS FOR RESEARCH ONLY - NOT FOR HUMAN OR VETERINARY DIAGNOSTIC OR THERAPEUTIC USE.

This material should be considered hazardous until further information becomes available. Do not ingest, inhale, get in eyes, on skin, or on clothing. Wash thoroughly after handling. Before use, the user must review the complete Safety Data Sheet, which has been sent via email to your institution.

WARRANTY AND LIMITATION OF REMEDY

subject to Cayman's Terms and Conditions. Complete Terms and Conditions including Warranty and Limitation of Liability information can be found on our website

Copyright Cayman Chemical Company, 11/15/2022

CAYMAN CHEMICAL

1180 EAST ELLSWORTH RD ANN ARBOR, MI 48108 · USA PHONE: [800] 364-9897

[734] 971-3335

FAX: [734] 971-3640 CUSTSERV@CAYMANCHEM.COM WWW.**CAYMANCHEM**.COM