



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 


PRODUCT INFORMATION



Globotriaosylceramides (hydroxy) (porcine)

Item No. 24872

Synonyms:	Ceramide Trihexosides (bottom spot) (porcine)
MF:	$C_{60}H_{113}NO_{19}$ (for hydroxytetracosanoyl)
FW:	1,152.6
Purity:	≥98%
Supplied as:	A solid
Storage:	-20°C
Stability:	≥2 years



Information represents the product specifications. Batch specific analytical results are provided on each certificate of analysis.

Laboratory Procedures

Globotriaosylceramides (hydroxy) (porcine) is supplied as a solid. A stock solution may be made by dissolving the globotriaosylceramides (hydroxy) (porcine) in the solvent of choice. Globotriaosylceramides (hydroxy) (porcine) is soluble in DMSO, methanol (hot), and a 1:1 solution of chloroform:methanol.

Description

Globotriaosylceramides are glycosphingolipids found in mammalian cell membranes that are synthesized from lactosylceramides (Item No. 16983).¹ They act as receptors for Shiga and Shiga-like toxins *in vitro* and *in vivo*.² Globotriaosylceramides accumulate in endothelial cells, pericytes, vascular smooth muscle cells, renal epithelial cells, dorsal ganglia neuronal cells, and myocardial cells in patients with Fabry disease, a lysosomal storage disorder characterized by a deficiency in the enzyme α -galactosidase A.³ Globotriaosylceramides act as natural resistance factors to HIV infection, interacting with HIV gp120 to prevent its interaction with chemokine co-receptors and subsequent fusion of HIV to host cell membranes.¹ This product contains a mixture of hydroxy fatty acid-containing globotriaosylceramides isolated from porcine red blood cells (RBCs).

References

1. Lingwood, C.A. and Branch, D.R. The role of glycosphingolipids in HIV/AIDS. *Discov. Med.* **11(59)**, 303-313 (2011).
2. Takeda, Y., Kurazono, H., and Yamasaki, S. Vero toxins (Shiga-like toxins) produced by enterohemorrhagic *Escherichia coli* (verocytotoxin-producing *E. coli*). *Microbiol. Immunol.* **37(8)**, 591-599 (1993).
3. Feldt-Rasmussen, U., Rasmussen, A.K., Mersebach, H., et al. Fabry disease: A new challenge in endocrinology and metabolism? *Eur. J. Endocrinol.* **146(6)**, 741-742 (2002).

WARNING

THIS PRODUCT IS FOR RESEARCH ONLY - NOT FOR HUMAN OR VETERINARY DIAGNOSTIC OR THERAPEUTIC USE.

SAFETY DATA

This material should be considered hazardous until further information becomes available. Do not ingest, inhale, get in eyes, on skin, or on clothing. Wash thoroughly after handling. Before use, the user must review the complete Safety Data Sheet, which has been sent via email to your institution.

WARRANTY AND LIMITATION OF REMEDY

Buyer agrees to purchase the material subject to Cayman's Terms and Conditions. Complete Terms and Conditions including Warranty and Limitation of Liability information can be found on our website.

Copyright Cayman Chemical Company, 05/09/2018

CAYMAN CHEMICAL

1180 EAST ELLSWORTH RD
ANN ARBOR, MI 48108 · USA

PHONE: [800] 364-9897
[734] 971-3335

FAX: [734] 971-3640

CUSTSERV@CAYMANCHEM.COM
WWW.CAYMANCHEM.COM