



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 


PRODUCT INFORMATION



4-Hydroxy-6-methyl-2-pyrone

Item No. 25210

CAS Registry No.: 675-10-5
Formal Name: 4-hydroxy-6-methyl-2H-pyran-2-one
Synonyms: NSC 34625, Triacetic Acid lactone
MF: C₆H₆O₃
FW: 126.1
Purity: ≥98%
UV/Vis.: λ_{max}: 284 nm
Supplied as: A crystalline solid
Storage: -20°C
Stability: ≥4 years



Information represents the product specifications. Batch specific analytical results are provided on each certificate of analysis.

Laboratory Procedures

4-Hydroxy-6-methyl-2-pyrone is supplied as a crystalline solid. A stock solution may be made by dissolving the 4-hydroxy-6-methyl-2-pyrone in the solvent of choice which should be purged with an inert gas. 4-Hydroxy-6-methyl-2-pyrone is soluble in organic solvents such as ethanol, DMSO, and dimethyl formamide (DMF). The solubility of 4-hydroxy-6-methyl-2-pyrone in ethanol is approximately 20 mg/ml and approximately 30 mg/ml in DMSO and DMF.

4-Hydroxy-6-methyl-2-pyrone is sparingly soluble in aqueous buffers. For maximum solubility in aqueous buffers, 4-hydroxy-6-methyl-2-pyrone should first be dissolved in DMSO and then diluted with the aqueous buffer of choice. 4-Hydroxy-6-methyl-2-pyrone has a solubility of approximately 0.09 mg/ml in a 1:10 solution of DMSO:PBS (pH 7.2) using this method. We do not recommend storing the aqueous solution for more than one day.

Description

4-Hydroxy-6-methyl-2-pyrone is a fungal metabolite that has been isolated from *H. investians*.¹

Reference

1. Chang, C.W., Chang, H.S., Cheng, M.J., *et al.* Inhibitory effects of constituents of an endophytic fungus *Hypoxylon investians* on nitric oxide and interleukin-6 production in RAW264.7 macrophages. *Chem. Biodivers.* **11**(6), 949-961 (2014).

WARNING

THIS PRODUCT IS FOR RESEARCH ONLY - NOT FOR HUMAN OR VETERINARY DIAGNOSTIC OR THERAPEUTIC USE.

SAFETY DATA

This material should be considered hazardous until further information becomes available. Do not ingest, inhale, get in eyes, on skin, or on clothing. Wash thoroughly after handling. Before use, the user must review the [complete](#) Safety Data Sheet, which has been sent via email to your institution.

WARRANTY AND LIMITATION OF REMEDY

Buyer agrees to purchase the material subject to Cayman's Terms and Conditions. Complete Terms and Conditions including Warranty and Limitation of Liability information can be found on our website.

Copyright Cayman Chemical Company, 11/21/2022

CAYMAN CHEMICAL

1180 EAST ELLSWORTH RD
ANN ARBOR, MI 48108 · USA

PHONE: [800] 364-9897

[734] 971-3335

FAX: [734] 971-3640

CUSTSERV@CAYMANCHEM.COM
WWW.CAYMANCHEM.COM