

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten! See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere Liefer- und Versandbedingungen

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

linkedin.com/company/szaboscandic in



PRODUCT INFORMATION



D-(+)-Glucose-¹³C₄ Item No. 26707

CAS Registry No.: 110187-42-3

D-glucose-1,2,3,4,5,6-¹³C₆ Formal Name:

[¹³C]₆H₁₂O₆ MF:

FW: **Purity:** ≥98% Supplied as: A solid -20°C Storage: Stability: ≥2 years

Information represents the product specifications. Batch specific analytical results are provided on each certificate of analysis.

Laboratory Procedures

D-(+)-Glucose-¹³C₆ is supplied as a solid. A stock solution may be made by dissolving the D-(+)-glucose- 13 C₆ in the solvent of choice. D-(+)-Glucose- 13 C₆ is soluble in organic solvents such as ethanol, DMSO, and dimethyl formamide, which should be purged with an inert gas. The solubility of D-(+)-glucose- 13 C_k in these solvents is approximately 0.3, 30, and 20 mg/ml, respectively.

Further dilutions of the stock solution into aqueous buffers or isotonic saline should be made prior to performing biological experiments. Ensure that the residual amount of organic solvent is insignificant, since organic solvents may have physiological effects at low concentrations. Organic solvent-free aqueous solutions of D-(+)-glucose- 13 C $_6$ can be prepared by directly dissolving the solid in aqueous buffers. The solubility of D-(+)-glucose- 13 C₆ in PBS, pH 7.2, is approximately 10 mg/ml. We do not recommend storing the aqueous solution for more than one day.

Description

 $D-(+)-Glucose^{-13}C_6$ is intended for use as an internal standard for the quantification of D-(+)-glucose(Item No. 23733) by GC- or LC-MS. D-(+)-Glucose is a monosaccharide that occurs in nature and is used by organisms as an energy source. D-(+)-Glucose is the more common enantiomer of L-(-)-glucose (Item No. 20829).

WARNING
THIS PRODUCT IS FOR RESEARCH ONLY - NOT FOR HUMAN OR VETERINARY DIAGNOSTIC OR THERAPEUTIC USE.

This material should be considered hazardous until further information becomes available. Do not ingest, inhale, get in eyes, on skin, or on clothing. Wash thoroughly after handling. Before use, the user must review the complete Safety Data Sheet, which has been sent via email to your institution.

WARRANTY AND LIMITATION OF REMEDY

subject to Cayman's Terms and Conditions. Complete Terms and Conditions including Warranty and Limitation of Liability information Buyer agrees to purchase the material can be found on our website.

Copyright Cayman Chemical Company, 02/27/2019

CAYMAN CHEMICAL

1180 EAST ELLSWORTH RD ANN ARBOR, MI 48108 · USA PHONE: [800] 364-9897

[734] 971-3335

FAX: [734] 971-3640 CUSTSERV@CAYMANCHEM.COM WWW.**CAYMANCHEM**.COM