



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

PRODUCT INFORMATION



GPX4 (human, recombinant)

Item No. 26906

Overview and Properties

Synonyms: Glutathione Peroxidase 4, GSHPx-4, PHGPx, Phospholipid Hydroperoxide Glutathione Peroxidase

Source: Active recombinant N-terminal His-tagged protein expressed in *E. coli* strain C321.ΔA.exp

Amino Acids: 1-170 (full length)

Uniprot No.: P36969-2

Molecular Weight: 21.2 kDa

Storage: -80°C (as supplied)

Stability: ≥1 year

Purity: *batch specific* (≥65% estimated by SDS-PAGE)

Supplied in: 50 mM potassium phosphate buffer, pH 7.6, with 0.1 mM DTT and 5% glycerol

Protein Concentration: *batch specific* mg/ml


Activity: *batch specific* U/ml

Specific Activity: *batch specific* U/mg

Unit Definition: One unit is defined as the amount of enzyme required to produce 1 μmol of NADP⁺ per minute at 25°C in 50 mM Tris-HCl, pH 7.6, with 5 mM EDTA, 1 mM GSH, 0.076 units glutathione reductase, 263 μM NADPH and 0.5 mM of cumene hydroperoxide.

Information represents the product specifications. Batch specific analytical results are provided on each certificate of analysis.


Images



Lane 1: MW Markers
Lane 2: GPX4 (2 μg)
Lane 3: GPX4 (4 μg)

SDS-PAGE analysis of GPX4.

Representative gel image shown: actual purity may vary between each batch.



GPX4 activity was determined using Cayman's Glutathione Peroxidase Assay Kit (Item No. 703102).

10 20 30 40 50
GSSHHHHHHS QDPNSMCASR DDWRCARSMH EFSAKDIDGH MVNLDKYRGF
60 70 80 90 100
VCIVTNVASQ UGKTEVNYTQ LVDLHARYAE CGLRILAFPC NQFGKQEPGS
110 120 130 140 150
NEEIKFAAAG YNVKFDMSK ICVNGDDAHP LWKWMKIQPK GKGILGNAIK
160 170 180
WNFTKFLIDK NGCVVKRYGP MEEPLVIEKD LPHYF

Cayman's GPX4 (Item No. 26906) protein has a selenocysteine incorporated in the active site that has been confirmed by mass spectrometry. Selenocysteine (●) is incorporated in the active site at the UGA stop codon indicated in teal.

WARNING
THIS PRODUCT IS FOR RESEARCH ONLY - NOT FOR HUMAN OR VETERINARY DIAGNOSTIC OR THERAPEUTIC USE.

SAFETY DATA
This material should be considered hazardous until further information becomes available. Do not ingest, inhale, get in eyes, on skin, or on clothing. Wash thoroughly after handling. Before use, the user must review the complete Safety Data Sheet, which has been sent via email to your institution.

WARRANTY AND LIMITATION OF REMEDY
Buyer agrees to purchase the material subject to Cayman's Terms and Conditions. Complete Terms and Conditions including Warranty and Limitation of Liability information can be found on our website.

Copyright Cayman Chemical Company, 10/22/2020

CAYMAN CHEMICAL
1180 EAST ELLSWORTH RD
ANN ARBOR, MI 48108 · USA
PHONE: [800] 364-9897
[734] 971-3335
FAX: [734] 971-3640
CUSTSERV@CAYMANCHEM.COM
WWW.CAYMANCHEM.COM

PRODUCT INFORMATION



Description

Glutathione peroxidase 4 (GPX4) is a selenocysteine-containing glutathione peroxidase that is encoded by the *GPX4* gene in humans and protects cellular membranes from oxidative damage.^{1,2} It is a monomeric protein consisting of a thioredoxin motif and a selenocysteine-glutamine-tryptophan catalytic triad that reduces lipid hydroperoxides, including phospholipid, polyunsaturated lipid, and sterol hydroperoxides, to non-toxic lipid alcohols. During this process, the active site selenocysteine becomes oxidized and must subsequently be replenished by the reducing substrate glutathione (GSH).² There are three isoforms of GPX4, mitochondrial mGPX4, cytosolic cGPX4, and nuclear nGPX4/snGPX4, that are expressed in all tissue types in rats, with the highest mRNA levels observed in testes.¹⁻³ GPX4 is a key regulator of ferroptosis that inhibits ferroptotic cell death by preventing iron-dependent accumulation of toxic lipid reactive oxygen species.² Mutations in *GPX4* have been found in patients with Sedaghatian-type spondylometaphyseal dysplasia (SSMD), and silencing of *Gpx4* in mice is embryonic lethal.^{2,4} Cayman's GPX4 (human, recombinant) protein has a selenocysteine incorporated in the active site that has been confirmed by mass spectrometry. It can be used for Western blot, ELISA, and enzymatic assays.

References

1. Imai, H. and Nakagawa, Y. Biological significance of phospholipid hydroperoxide glutathione peroxidase (PHGPx, GPx4) in mammalian cells. *Free Radic. Biol. Med.* **34(2)**, 145-169 (2003).
2. Forcina, G.C. and Dixon, S.J. GPX4 at the crossroads of lipid homeostasis and ferroptosis. *Proteomics* **19(18)**, e1800311 (2019).
3. Maiorino, M., Scapin, M., Ursin, F., *et al.* Distinct promoters determine alternative transcription of *gpx-4* into phospholipid-hydroperoxide glutathione peroxidase variants. *J. Biol. Chem.* **278(36)**, 34286-34290 (2003).
4. Smith, A.C., Mears, A.J., Bunker, R., *et al.* Mutations in the enzyme glutathione peroxidase 4 cause Sedaghatian-type spondylometaphyseal dysplasia. *J. Med. Genet.* **51(7)**, 470-474 (2014).

CAYMAN CHEMICAL
1180 EAST ELLSWORTH RD
ANN ARBOR, MI 48108 · USA
PHONE: [800] 364-9897
[734] 971-3335
FAX: [734] 971-3640
CUSTSERV@CAYMANCHEM.COM
WWW.CAYMANCHEM.COM