

## Produktinformation



Forschungsprodukte & Biochemikalien
Zellkultur & Verbrauchsmaterial
Diagnostik & molekulare Diagnostik
Laborgeräte & Service

Weitere Information auf den folgenden Seiten! See the following pages for more information!



Lieferung & Zahlungsart siehe unsere Liefer- und Versandbedingungen

## Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien T. +43(0)1 489 3961-0 F. +43(0)1 489 3961-7 <u>mail@szabo-scandic.com</u> www.szabo-scandic.com

# **PRODUCT** INFORMATION



**Echinocystic Acid** 

Item No. 27476

510-30-5	$\setminus$ /
3β,16α-dihydroxy-olean-12-en-	X
28-oic acid	
$C_{30}H_{48}O_4$	
472.7	
≥95%	
λ <sub>max</sub> : 258 nm	ОН
A crystalline solid	H H OH
-20°C	
≥4 years	HU' X H
Plant/Albizia julibrissin	/ \
	510-30-5 3β,16α-dihydroxy-olean-12-en- 28-oic acid $C_{30}H_{48}O_4$ 472.7 ≥95% $\lambda_{max}$ : 258 nm A crystalline solid -20°C ≥4 years Plant/Albizia julibrissin

Information represents the product specifications. Batch specific analytical results are provided on each certificate of analysis.

#### Laboratory Procedures

Echinocystic acid is supplied as a crystalline solid. A stock solution may be made by dissolving the echinocystic acid in the solvent of choice, which should be purged with an inert gas. Echinocystic acid is soluble in organic solvents such as DMSO and dimethyl formamide. The solubility of echinocystic acid in these solvents is approximately 30 mg/ml.

Echinocystic acid is sparingly soluble in aqueous buffers. For maximum solubility in aqueous buffers, echinocystic acid should first be dissolved in DMSO and then diluted with the aqueous buffer of choice. Echinocystic acid has a solubility of approximately 0.33 mg/ml in a 1:2 solution of DMSO:PBS (pH 7.2) using this method. We do not recommend storing the aqueous solution for more than one day.

#### Description

Echinocystic acid is a triterpene that has been found in G. sinensis and has diverse biological activities.<sup>1-5</sup> It induces nuclear translocation of the glucocorticoid receptor (GR) and reduces TNF- $\alpha$ -induced NF- $\kappa$ B signaling in HEK293 cells overexpressing GFP-GR.<sup>1</sup> Echinocystic acid (12.5, 25, and 50  $\mu$ M) suppresses RANKL-induced NF-kB activation, ERK phosphorylation, and osteoclastogenesis in mouse bone marrow macrophages (BMMs).<sup>2</sup> It induces neurite outgrowth in Neuro2A cells in a concentration-dependent manner, an effect that can be blocked by the JNK inhibitor SP600125 (Item No. 10010466).<sup>3</sup> In vivo, echinocystic acid (10 mg/kg per day) decreases escape latency in the Morris water maze and increases the length of neurite processes in the hippocampus of aged mice. Topical administration of echinocystic acid reduces expression of COX-2, inducible nitric oxide synthase (iNOS), TNF- $\alpha$ , and IL-1 $\beta$  and ear edema induced by phorbol 12-myristate 13-acetate (TPA; Item No. 10008014) in a mouse model of dermatitis.<sup>4</sup> Echinocystic acid also recovers reductions in femoral bone mineral density and trabecular thickness and number in a rat model of ovariectomy-induced osteoporosis.5

#### References

- 1. Georgatza, D., Gorgogietas, V.A., Kylindri, P., et al. Int. J. Biochem. Cell Biol. 79, 277-287 (2016).
- 2. Yang, J.-h., Li, B., Wu, Q., et al. Biochem. Biophys. Res. Commun. 477(4), 673-677 (2016).
- 3. Park, H.J., Kwon, H., Lee, S., et al. Biol. Pharm. Bull. 40(10), 1724-1729 (2017).
- 4. Joh, E.-H., Jeong, J.-J., and Kim, D.-H. Arch. Pharm. Res. 37(2), 225-231 (2014).
- 5. Deng, Y.-t., Kang, W.-b., Zhao, J.-n., et al. PLoS One 10(8), e0136572 (2015).

WARNING THIS PRODUCT IS FOR RESEARCH ONLY - NOT FOR HUMAN OR VETERINARY DIAGNOSTIC OR THERAPEUTIC USE.

#### SAFFTY DATA

This material should be considered hazardous until further information becomes available. Do not ingest, inhale, get in eyes, on skin, or on clothing. Wash thoroughly after handling. Before use, the user must review the complete Safety Data Sheet, which has been sent via email to your institution.

Buyer agrees to purchase the material subject to Cayman's Terms and Conditions. Complete Terms and Conditions including Warranty and Limitation of Liability information can be found on our website.

Copyright Cayman Chemical Company, 06/01/2023

#### CAYMAN CHEMICAL

1180 EAST ELLSWORTH RD ANN ARBOR, MI 48108 · USA PHONE: [800] 364-9897 [734] 971-3335 FAX: [734] 971-3640 CUSTSERV@CAYMANCHEM.COM WWW.CAYMANCHEM.COM