



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 


PRODUCT INFORMATION



Triamcinolone

Item No. 28275

CAS Registry No.: 124-94-7
Formal Name: (11 β ,16 α)-9-fluoro-11,16,17,21-tetrahydroxy-pregna-1,4-diene-3,20-dione
Synonym: NSC 13397
MF: C₂₁H₂₇FO₆
FW: 394.4
Purity: \geq 98%
UV/Vis.: λ_{max} : 240 nm
Supplied as: A crystalline solid
Storage: -20°C
Stability: \geq 2 years



Information represents the product specifications. Batch specific analytical results are provided on each certificate of analysis.

Laboratory Procedures

Triamcinolone is supplied as a crystalline solid. A stock solution may be made by dissolving the triamcinolone in the solvent of choice, which should be purged with an inert gas. Triamcinolone is soluble in organic solvents such as DMSO and dimethyl formamide (DMF). The solubility of triamcinolone in these solvents is approximately 15 and 25 mg/ml, respectively.

Triamcinolone is sparingly soluble in aqueous buffers. For maximum solubility in aqueous buffers, triamcinolone should first be dissolved in DMF and then diluted with the aqueous buffer of choice. Triamcinolone has a solubility of approximately 0.14 mg/ml in a 1:6 solution of DMF:PBS (pH 7.2) using this method. We do not recommend storing the aqueous solution for more than one day.

Description

Triamcinolone is a synthetic glucocorticoid.^{1,2} It increases expression of the calcitonin receptor in murine osteoclast-like cells when used at a concentration of 1 μ M.³ Triamcinolone (3 mg/kg, s.c.) reduces heat hyperalgesia and mechano-allodynia and decreases the number of TNF- α -positive mast cells in injured sciatic nerve in a rat model of chronic constriction injury-induced neuropathic pain.¹ It also reduces levels of the glycosaminoglycans hyaluronic acid and chondroitin-4-sulfate in human keloid implants in athymic nude mice.⁴

References

1. Hayashi, R., Xiao, W., Kawamoto, M., *et al.* Systemic glucocorticoid therapy reduces pain and the number of endoneurial tumor necrosis factor-alpha (TNF α)-positive mast cells in rats with a painful peripheral neuropathy. *J. Pharmacol. Sci.* **106(4)**, 599-565 (2008).
2. Uete, T. and Ashmore, J. Effects of triamcinolone on carbohydrate synthesis by rat liver slices. *J. Biol. Chem.* **238(9)**, 2906-2911 (1963).
3. Wada, S., Udagawa, N., Akatsu, T., *et al.* Regulation by calcitonin and glucocorticoids of calcitonin receptor gene expression in mouse osteoclasts. *Endocrinology* **138(2)**, 521-529 (1997).
4. Shetlar, M.R., Shetlar, D.J., Bloom, R.F., *et al.* Involution of keloid implants in athymic mice treated with pifrenidone or with triamcinolone. *J. Lab Clin. Med.* **132(6)**, 491-496 (1998).

WARNING

THIS PRODUCT IS FOR RESEARCH ONLY - NOT FOR HUMAN OR VETERINARY DIAGNOSTIC OR THERAPEUTIC USE.

SAFETY DATA

This material should be considered hazardous until further information becomes available. Do not ingest, inhale, get in eyes, on skin, or on clothing. Wash thoroughly after handling. Before use, the user must review the complete Safety Data Sheet, which has been sent via email to your institution.

WARRANTY AND LIMITATION OF REMEDY

Buyer agrees to purchase the material subject to Cayman's Terms and Conditions. Complete Terms and Conditions including Warranty and Limitation of Liability information can be found on our website.

Copyright Cayman Chemical Company, 02/19/2020

CAYMAN CHEMICAL

1180 EAST ELLSWORTH RD
ANN ARBOR, MI 48108 · USA

PHONE: [800] 364-9897
[734] 971-3335

FAX: [734] 971-3640

CUSTSERV@CAYMANCHEM.COM
WWW.CAYMANCHEM.COM