

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten! See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere Liefer- und Versandbedingungen

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

linkedin.com/company/szaboscandic in



PRODUCT INFORMATION



Eledoisin

Item No. 28810

CAS Registry No.: 69-25-0

Formal Name: 5-oxo-L-prolyl-L-prolyl-L-seryl-

L-lysyl-L-α-aspartyl-L-alanyl-Lphenylalanyl-L-isoleucylglycyl-L-

leucyl-L-methioninamide


Synonyms: ELD 950, Moschatin MF: $C_{54}H_{85}N_{13}O_{15}S$

FW: 1,188.4 **Purity:** ≥98%

Supplied as: A crystalline solid

Storage: -20°C Stability: ≥2 years

Information represents the product specifications. Batch specific analytical results are provided on each certificate of analysis.



Laboratory Procedures

Eledoisin is supplied as a crystalline solid. A stock solution may be made by dissolving the eledoisin in the solvent of choice, which should be purged with an inert gas. Eledoisin is soluble in organic solvents such as DMSO and dimethyl formamide. The solubility of eledoisin in these solvents is approximately 20 and 15 mg/ml, respectively.

Eledoisin is sparingly soluble in aqueous buffers. For maximum solubility in aqueous buffers, eledoisin should first be dissolved in DMSO and then diluted with the aqueous buffer of choice. Eledoisin has a solubility of approximately 0.04 mg/ml in a 1:20 solution of DMSO:PBS (pH 7.2) using this method. We do not recommend storing the aqueous solution for more than one day.

Description

Eledoisin is an undecapeptide tachykinin neuropeptide and neurokinin (NK) receptor agonist originally isolated from *E. moschata*. It binds to NK_1 (pD₂ = 9.5 and 9.21 in isolated dog carotid artery and guinea pig ileum, respectively), NK_2 (pD₂ = 8.22 and 7.7 in isolated rabbit pulmonary artery and rat duodenum, respectively), and NK_3 receptors (pD₂ = 7.11 and 7.06 in isolated rat portal vein and hamster urinary bladder, respectively).³ Eledoisin induces contraction of isolated guinea pig ileum and rabbit jejunum.⁴ It also induces salivation in rats and lowers arterial blood pressure in rabbits and guinea pigs in vivo.^{4,5}

References

- 1. Severini, C., Improta, G., Falconieri-Erspamer, G., et al. The tachykinin peptide family. Pharmacol. Rev. **54(2)**, 285-322 (2002).
- 2. Erspamer, V. and Anastasi, A. Structure and pharmacological actions of eledoisin, the active endecapeptide of the posterior salivary glands of Eledone. Experientia 18(2), 58-59 (1962).
- Regoli, D., Drapeau, G., Dion, S., et al. Receptors for substance P and related neurokinins. Pharmacology 38(1), 1-15 (1989).
- 4. Holzer-Petsche, U., Schimek, E., Amann, R., et al. In vivo and in vitro actions of mammalian tachykinins. Naunyn Schmiedebergs Arch. Pharmacol. 330(2), 130-135 (1985).
- 5. Hancock, J.C. and Hoover, D.B. Effect of substance P and other tachykinins on arterial pressure in guinea-pigs. J. Auton. Pharmacol. 5(1), 25-30 (1985).

WARNING
THIS PRODUCT IS FOR RESEARCH ONLY - NOT FOR HUMAN OR VETERINARY DIAGNOSTIC OR THERAPEUTIC USE.

This material should be considered hazardous until further information becomes available. Do not ingest, inhale, get in eyes, on skin, or on clothing. Wash thoroughly after handling. Before use, the user must review the complete Safety Data Sheet, which has been sent via email to your institution.

WARRANTY AND LIMITATION OF REMEDY

subject to Cayman's Terms and Conditions. Complete Terms and Conditions including Warranty and Limitation of Liability information Buyer agrees to purchase the mater can be found on our website.

Copyright Cayman Chemical Company, 10/29/2019

CAYMAN CHEMICAL

1180 EAST ELLSWORTH RD ANN ARBOR, MI 48108 · USA PHONE: [800] 364-9897

[734] 971-3335

FAX: [734] 971-3640 CUSTSERV@CAYMANCHEM.COM WWW.**CAYMANCHEM**.COM