



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 


PRODUCT INFORMATION



PF-4840154

Item No. 28915

CAS Registry No.: 1332708-14-1
Formal Name: 4-[(2-methylpropyl)amino]-N-(phenylmethyl)-2-[4-[(tetrahydro-2H-pyran-3-yl)methyl]-1-piperazinyl]-5-pyrimidinecarboxamide
MF: C₂₆H₃₈N₆O₂
FW: 466.6
Purity: ≥95%
UV/Vis.: λ_{max}: 234, 265, 311 nm
Supplied as: A crystalline solid
Storage: -20°C
Stability: ≥2 years



Information represents the product specifications. Batch specific analytical results are provided on each certificate of analysis.

Laboratory Procedures

PF-4840154 is supplied as a crystalline solid. A stock solution may be made by dissolving the PF-4840154 in the solvent of choice, which should be purged with an inert gas. PF-4840154 is soluble in organic solvents such as ethanol, DMSO, and dimethyl formamide (DMF). The solubility of PF-4840154 in these solvents is approximately 10, 20, and 30 mg/ml, respectively.

PF-4840154 is sparingly soluble in aqueous buffers. For maximum solubility in aqueous buffers, PF-4840154 should first be dissolved in DMF and then diluted with the aqueous buffer of choice. PF-4840154 has a solubility of approximately 0.1 mg/ml in a 1:5 solution of DMF:PBS (pH 7.2) using this method. We do not recommend storing the aqueous solution for more than one day.

Description

PF-4840154 is a transient receptor potential ankyrin 1 (TRPA1) agonist.¹ It induces calcium influx into HEK293 cells expressing recombinant human or rat TRPA1 (EC₅₀s = 23 and 97 nM, respectively). Intraplantar injection of PF-4840154 (30 nmol) increases paw licking time in mice in a TRPA1-dependent manner.

Reference

1. Ryckmans, T., Aubdool, A.A., Bodkin, J.V., *et al.* Design and pharmacological evaluation of PF-4840154, a non-electrophilic reference agonist of the TrpA1 channel. *Bioorg. Med. Chem.* **21(16)**, 4857-4859 (2011).

WARNING

THIS PRODUCT IS FOR RESEARCH ONLY - NOT FOR HUMAN OR VETERINARY DIAGNOSTIC OR THERAPEUTIC USE.

SAFETY DATA

This material should be considered hazardous until further information becomes available. Do not ingest, inhale, get in eyes, on skin, or on clothing. Wash thoroughly after handling. Before use, the user must review the [complete](#) Safety Data Sheet, which has been sent via email to your institution.

WARRANTY AND LIMITATION OF REMEDY

Buyer agrees to purchase the material subject to Cayman's Terms and Conditions. Complete Terms and Conditions including Warranty and Limitation of Liability information can be found on our website.

Copyright Cayman Chemical Company, 03/06/2020

CAYMAN CHEMICAL

1180 EAST ELLSWORTH RD
ANN ARBOR, MI 48108 · USA

PHONE: [800] 364-9897
[734] 971-3335

FAX: [734] 971-3640

CUSTSERV@CAYMANCHEM.COM
WWW.CAYMANCHEM.COM