

Produktinformation



Forschungsprodukte & Biochemikalien
Zellkultur & Verbrauchsmaterial
Diagnostik & molekulare Diagnostik
Laborgeräte & Service

Weitere Information auf den folgenden Seiten! See the following pages for more information!



Lieferung & Zahlungsart siehe unsere Liefer- und Versandbedingungen

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien T. +43(0)1 489 3961-0 F. +43(0)1 489 3961-7 <u>mail@szabo-scandic.com</u> www.szabo-scandic.com

PRODUCT INFORMATION



1-Palmitoyl-2-12-OAHSA-3-Oleoyl-sn-glycerol

Item No. 29407

Formal Name:	18-(((R)-1-(oleoyloxy)-3-(palmitoyloxy) propan-2-yl)oxy)-18-oxooctadecan-7-yl	
Synonyms:	oleate 16:0-12-OAHSA-18:1-TG, TG(16:0/12-OAHSA/18:1)	
MF:	C ₇₃ H ₁₃₆ O ₈	
FW:	1,141.9	
Purity:	≥95%	°
Supplied as:	A solution in methyl acetate	
Storage:	-20°C	
Stability:	≥1 year	

Information represents the product specifications. Batch specific analytical results are provided on each certificate of analysis.

Laboratory Procedures

1-Palmitoyl-2-12-OAHSA-3-oleoyl-sn-glycerol is supplied as a solution in methyl acetate. To change the solvent, simply evaporate the methyl acetate under a gentle stream of nitrogen and immediately add the solvent of choice. Solvents such as ethanol, DMSO, and dimethyl formamide (DMF) purged with an inert gas can be used. The solubility of 1-palmitoyl-2-12-OAHSA-3-oleoyl-sn-glycerol in ethanol and DMF is approximately 20 mg/ml and approximately 15 mg/ml in DMSO.

For maximum solubility in aqueous buffers, evaporate the methyl acetate and dissolve in ethanol. The ethanolic solution of 1-palmitoyl-2-12-OAHSA-3-oleoyl-sn-glycerol should be diluted with the aqueous buffer of choice. 1-Palmitoyl-2-12-OAHSA-3-oleoyl-sn-glycerol has a solubility of approximately 0.5 mg/ml in a 1:1 solution of ethanol:PBS (pH 7.2) using this method.

Description

1-Palmitoyl-2-12-OAHSA-3-oleoyl-sn-glycerol is a triacylglycerol that contains palmitic acid (Item No. 10006627), the fatty acid ester of hydroxy fatty acids (FAHFA) 12-OASHA (Item No. 17108), and oleic acid (Item Nos. 90260 | 24659) at the sn-1, sn-2, and sn-3 positions, respectively. It is an endogenous triacylglycerol that has been found in the lipid extract of mouse adipose tissue.¹ FAHFA-containing triacylglycerol levels are greater than 100-fold higher than non-esterified FAHFAs in mouse adipose tissues, indicating that triacylglycerols act as intracellular storage reservoirs for FAHFAs.

Reference

1. Tan, D., Ertunc, M.E., Konduri, S., et al. Discovery of FAHFA-containing triacyglycerols and their metabolic regulation. J. Am. Chem. Soc. 141(22), 8798-8806 (2019).

WARNING THIS PRODUCT IS FOR RESEARCH ONLY - NOT FOR HUMAN OR VETERINARY DIAGNOSTIC OR THERAPEUTIC USE.

SAFFTY DATA

This material should be considered hazardous until further information becomes available. Do not ingest, inhale, get in eyes, on skin, or on clothing. Wash thoroughly after handling. Before use, the user must review the complete Safety Data Sheet, which has been sent via email to your institution.

WARRANTY AND LIMITATION OF REMEDY

uyer agrees to purchase the material subject to Cayman's Terms and Conditions. Complete Terms and Conditions including Warranty and Limitation of Liability information can be found on our website.

Copyright Cayman Chemical Company, 11/20/2019

CAYMAN CHEMICAL

1180 EAST ELLSWORTH RD ANN ARBOR, MI 48108 · USA PHONE: [800] 364-9897 [734] 971-3335 FAX: [734] 971-3640 CUSTSERV@CAYMANCHEM.COM WWW.CAYMANCHEM.COM