



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

PRODUCT INFORMATION



FSP1 (human, recombinant)


Item No. 29611

Overview and Properties

Synonyms:	AIFM2, Apoptosis-inducing Factor Homologous Mitochondrion-associated Inducer of Death, Apoptosis-inducing Factor Mitochondria-associated 2, Ferroptosis Suppressor Protein 1, p53-Responsive Gene 3 Protein, PRG3
Source:	Active recombinant N-terminal His-tagged human FSP1 expressed in <i>E. coli</i>
Amino Acids:	2-373
Uniprot No.:	Q9BRQ8
Molecular Weight:	42.5 kDa
Storage:	-80°C (as supplied)
Stability:	≥1 year
Purity:	<i>batch specific</i> (≥70% estimated by SDS-PAGE)
Supplied in:	50 mM potassium phosphate, pH 7.8, with 200 mM sodium chloride, 10% glycerol, and 0.1 mM TCEP
Concentration:	<i>batch specific</i> mg/ml
Activity:	<i>batch specific</i> U/ml
Specific Activity:	<i>batch specific</i> U/mg
Unit Definition:	One unit is defined as the amount of enzyme required to produce 1 nmol of NAD ⁺ per minute at 25°C in 25 mM Tris-HCl, pH 7.4, with 150 mM sodium chloride and 200 μM coenzyme Q ₁ .

Information represents the product specifications. Batch specific analytical results are provided on each certificate of analysis.


Images



Lane 1: MW Markers
Lane 2: FSP1 (2 μg)
Lane 3: FSP1 (4 μg)

SDS-PAGE Analysis of FSP1.

Representative gel image shown; actual purity may vary between each batch.



Activity of FSP1. FSP1 activity was determined by measuring oxidation of the cofactor NADH at 340 nm during enzymatic reduction of coenzyme Q₁ (Item No. 18741) to ubiquinol.

WARNING
THIS PRODUCT IS FOR RESEARCH ONLY - NOT FOR HUMAN OR VETERINARY DIAGNOSTIC OR THERAPEUTIC USE.

SAFETY DATA
This material should be considered hazardous until further information becomes available. Do not ingest, inhale, get in eyes, on skin, or on clothing. Wash thoroughly after handling. Before use, the user must review the complete Safety Data Sheet, which has been sent via email to your institution.

WARRANTY AND LIMITATION OF REMEDY
Buyer agrees to purchase the material subject to Cayman's Terms and Conditions. Complete Terms and Conditions including Warranty and Limitation of Liability information can be found on our website.

Copyright Cayman Chemical Company, 09/27/2021

CAYMAN CHEMICAL
1180 EAST ELLSWORTH RD
ANN ARBOR, MI 48108 · USA
PHONE: [800] 364-9897
[734] 971-3335
FAX: [734] 971-3640
CUSTSERV@CAYMANCHEM.COM
WWW.CAYMANCHEM.COM

PRODUCT INFORMATION



Description

Ferroptosis suppressor protein 1 (FSP1), also known as apoptosis-inducing factor mitochondria-associated 2 (AIFM2), is a flavoprotein and NAD(P)H-dependent oxidoreductase that inhibits ferroptosis in a glutathione peroxidase 4- and glutathione-independent manner.¹⁻³ It is encoded by *AIFM2* in humans and is composed of a short N-terminal hydrophobic region followed by a flavin adenine dinucleotide-dependent oxidoreductase domain.² FSP1 localizes to the plasma membrane in a myristoylation-dependent manner, where it reduces coenzyme Q₁₀ (CoQ₁₀; Item No. 11506) to CoQ₁₀H₂. Reduced CoQ₁₀ functions as a radical-trapping antioxidant and inhibits lipid peroxidation. *AIFM2* expression positively correlates with resistance to glutathione peroxidase 4 (GPX4) inhibitors, including (1S,3R)-RSL3 (Item No. 19288), ML-210 (Item No. 23282), and ML-162 (Item No. 20455) in cancer cell lines. Withdrawal of the ferroptosis inhibitor ferrostatin-1 (Item No. 17729) reduces tumor growth in an *Fsp1/Gpx4* double knockout, but not a *Gpx4* single knockout, H460 lung cancer mouse xenograft model, indicating that FSP1 confers resistance to ferroptotic cell death. Cayman's FSP1 (human, recombinant) protein can be used for enzyme assay applications.

References

1. Doll, S., Freitas, F.P., Shah, R., *et al.* FSP1 is a glutathione-independent ferroptosis suppressor. *Nature* **575(7784)**, 693-698 (2019).
2. Bersuker, K., Hendricks, J., Li, Z., *et al.* The CoQ oxidoreductase FSP1 acts parallel to GPX4 to inhibit ferroptosis. *Nature* **575(7784)**, 688-692 (2019).
3. Marshall, K.R., Gong, M., Wodke, L., *et al.* The human apoptosis-inducing protein AMID is an oxidoreductase with a modified flavin cofactor and DNA binding activity. *J. Biol. Chem.* **280(35)**, 30735-30740 (2005).

CAYMAN CHEMICAL
1180 EAST ELLSWORTH RD
ANN ARBOR, MI 48108 · USA
PHONE: [800] 364-9897
[734] 971-3335
FAX: [734] 971-3640
CUSTSERV@CAYMANCHEM.COM
WWW.CAYMANCHEM.COM