

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten! See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere Liefer- und Versandbedingungen

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

linkedin.com/company/szaboscandic in



PRODUCT INFORMATION



GR127935 (hydrochloride)

Item No. 29651

CAS Registry No.: 148642-42-6

Formal Name: N-[4-methoxy-3-(4-methyl-1-

> piperazinyl)phenyl]-2'-methyl-4'-(5-methyl-1,2,4-oxadiazol-3-yl)-[1,1'-biphenyl]-4-carboxamide,

monohydrochloride

MF: C₂₉H₃₁N₅O₃ • HCl FW: 534.1

Purity: ≥98% UV/Vis.: λ_{max} : 291 nm A crystalline solid Supplied as:

-20°C Storage: ≥2 years Stability:

Information represents the product specifications. Batch specific analytical results are provided on each certificate of analysis.

Laboratory Procedures

GR127935 (hydrochloride) is supplied as a crystalline solid. A stock solution may be made by dissolving the GR127935 (hydrochloride) in the solvent of choice, which should be purged with an inert gas. GR127935 (hydrochloride) is soluble in the organic solvent DMSO at a concentration of approximately

GR127935 (hydrochloride) is sparingly soluble in aqueous buffers. For maximum solubility in aqueous buffers, GR127935 (hydrochloride) should first be dissolved in DMSO and then diluted with the aqueous buffer of choice. GR127935 (hydrochloride) has a solubility of approximately 0.25 mg/ml in a 1:1 solution of DMSO:PBS (pH 7.2) using this method. We do not recommend storing the aqueous solution for more than one day.

Description

GR127935 is an antagonist of the serotonin (5-HT) receptor subtypes 5-HT_{1Da}, 5-HT_{1Da}, and 5-HT_{1DB} $(IC_{50}s = 3.16, 1.26, and 0.13 \text{ nM}, respectively})$. It is selective for the 5-HT_{1B} and 5-HT_{1D} receptors over other 5-HT receptors (IC₅₀s = 39.81->10,000 nM in radioligand binding assays). GR127935 increases extracellular 5-HT levels in the guinea pig frontal cortex and prevents increases in 5-HT in rat frontal cortex induced by the selective serotonin reuptake inhibitor paroxetine (Item No. 14998).² It enhances memory consolidation in an autoshaping learning task in rats when administered post-training at a dose of 10 mg/kg.³ It has been used to elucidate the 5-HT receptor subtypes involved in the anti-inflammatory activity of sumatriptan (Item No. 14600) following myocardial ischemia-reperfusion injury and testicular torsion/detorsion.^{4,5}

References

- 1. Skingle, M., Beattie, D.T., Scopes, D.I., et al. Behav. Brain Res. 73(1-2), 157-161 (1996).
- 2. Sharp, T., Umbers, V., and Gartside, S.E. Br. J. Pharmacol. 121(5), 941-946 (1997).
- 3. Meneses, A., Terrón, J.A., and Hong, E. Behav. Brain Res. 89(1-2), 217-223 (1997).
- 4. Sheibani, M., Faghir-Ghanesefat, H., Dehpour, S., et al. Inflammopharmacology 27(5), 1071-1080 (2019).
- 5. Dejban, P., Rahimi, N., Takzare, N., et al. Andrologia 51(9):e13358 (2019).

WARNING
THIS PRODUCT IS FOR RESEARCH ONLY - NOT FOR HUMAN OR VETERINARY DIAGNOSTIC OR THERAPEUTIC USE.

This material should be considered hazardous until further information becomes available. Do not ingest, inhale, get in eyes, on skin, or on clothing. Wash thoroughly after handling. Before use, the user must review the complete Safety Data Sheet, which has been sent via email to your institution.

WARRANTY AND LIMITATION OF REMEDY

subject to Cayman's Terms and Conditions. Complete Terms and Conditions including Warranty and Limitation of Liability information can be found on our website

Copyright Cayman Chemical Company, 02/21/2020

HCI

CAYMAN CHEMICAL

1180 EAST ELLSWORTH RD ANN ARBOR, MI 48108 · USA PHONE: [800] 364-9897

[734] 971-3335

FAX: [734] 971-3640 CUSTSERV@CAYMANCHEM.COM WWW.**CAYMANCHEM**.COM