

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten! See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere Liefer- und Versandbedingungen

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

linkedin.com/company/szaboscandic in



PRODUCT INFORMATION



SKA-31

Item No. 29690

CAS Registry No.: 40172-65-4

Formal Name: naphtho[1,2-d]thiazol-2-amine

Synonym: 2-Aminonaphthiazole

MF: $C_{11}H_{8}N_{2}S$ FW: 200.3 **Purity:** ≥95% Supplied as: A solid Storage: -20°C Stability: ≥2 years

Information represents the product specifications. Batch specific analytical results are provided on each certificate of analysis.

Laboratory Procedures

SKA-31 is supplied as a solid. A stock solution may be made by dissolving the SKA-31 in the solvent of choice, which should be purged with an inert gas. SKA-31 is soluble in organic solvents such as ethanol, DMSO, and dimethyl formamide. The solubility of SKA-31 in these solvents is approximately 3, 15, and 10 mg/ml, respectively.

SKA-31 is sparingly soluble in aqueous buffers. For maximum solubility in aqueous buffers, SKA-31 should first be dissolved in DMSO and then diluted with the aqueous buffer of choice. SKA-31 has a solubility of approximately 0.16 mg/ml in a 1:5 solution of DMSO:PBS (pH 7.2) using this method. We do not recommend storing the aqueous solution for more than one day.

Description

SKA-31 is an activator of the small- and intermediate conductance calcium-activated potassium channels $K_{Ca}2.1$, $K_{Ca}2.2$, $K_{Ca}2.3$, and $K_{Ca}3.1$ (EC $_{50}$ s = 2.9, 1.9, 2.9, and 0.26 μ M, respectively, in a patch-clamp assay). It also blocks the voltage-gated potassium (K,) channels K, 1.3, K, 1.5, K, 3.1, and K, 3.2 by 10 to 30% and the voltage-gated sodium (Na,) channels Na, 1.2, Na, 1.4, and Na, 1.5 by 9 to 40% in a panel of 13 ion channels when used at a concentration of 25 µM. SKA-31 increases vasodilation induced by acetylcholine (Item No. 23829) in isolated mouse carotid artery ($EC_{50} = 93$ nM) and induces relaxation of isolated rat mesenteric artery rings precontracted with phenylephrine ($IC_{50} = 93$ nM).^{1,2} It decreases blood pressure in normotensive and angiotensin II-induced hypertensive mice when administered at a dose of 30 mg/kg.¹

References

- 1. Sankaranarayanan, A., Raman, G., Busch, C., et al. Naphtho[1,2-d]thiazol-2-ylamine (SKA-31), a new activator of KCa2 and KCa3.1 potassium channels, potentiates the endothelium-derived hyperpolarizing factor response and lowers blood pressure. Mol. Pharmacol. 75(2), 281-295 (2009).
- 2. Khaddaj-Mallat, R., Mathew John, C., and Braun, A. SKA-31, an activator of endothelial Ca^{2+} -activated K^+ channels evokes robust vasodilation in rat mesenteric arteries. Eur. J. Pharmacol. 831, 60-67 (2018).

WARNING
THIS PRODUCT IS FOR RESEARCH ONLY - NOT FOR HUMAN OR VETERINARY DIAGNOSTIC OR THERAPEUTIC USE.

This material should be considered hazardous until further information becomes available. Do not ingest, inhale, get in eyes, on skin, or on clothing. Wash thoroughly after handling. Before use, the user must review the complete Safety Data Sheet, which has been sent via email to your institution.

WARRANTY AND LIMITATION OF REMEDY

uyer agrees to purchase the material subject to Cayman's Terms and Conditions. Complete Terms and Conditions including Warranty and Limitation of Liability information can be found on our website

Copyright Cayman Chemical Company, 01/20/2020

CAYMAN CHEMICAL

1180 EAST ELLSWORTH RD ANN ARBOR, MI 48108 · USA PHONE: [800] 364-9897

[734] 971-3335

FAX: [734] 971-3640 CUSTSERV@CAYMANCHEM.COM WWW.**CAYMANCHEM**.COM