

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten! See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere Liefer- und Versandbedingungen

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

linkedin.com/company/szaboscandic in



PRODUCT INFORMATION



C16 1-Deoxyceramide (m18:1/16:0)

Item No. 30029

CAS Registry No.: 1246298-56-5

Formal Name: N-[(1S,2R,3E)-2-hydroxy-1-methyl-3-

heptadecen-1-yl]-hexadecanamide

Synonyms: C16:0 1-Deoxyceramide,

C16:0 Ceramide (m18:1/16:0),

Cer(m18:1/16:0), N-Hexadecanoyl-1-


deoxy-4,5-dihydro-Sphingosine

MF: $C_{34}H_{67}NO_{2}$ FW: 521.9 **Purity:** ≥95%

A crystalline solid Supplied as:

-20°C Storage: Stability: ≥2 years

Information represents the product specifications. Batch specific analytical results are provided on each certificate of analysis.



Laboratory Procedures

C16 1-Deoxyceramide (m18:1/16:0) is supplied as a crystalline solid. A stock solution may be made by dissolving the C16 1-deoxyceramide (m18:1/16:0) in the solvent of choice, which should be purged with an inert gas. C16 1-Deoxyceramide (m18:1/16:0) is soluble in organic solvents such as ethanol, DMSO, and dimethyl formamide (DMF). The solubility of C16 1-deoxyceramide (m18:1/16:0) in ethanol is approximately 30 mg/ml and approximately 20 mg/ml in DMSO and DMF.

C16 1-Deoxyceramide (m18:1/16:0) is sparingly soluble in aqueous buffers. For maximum solubility in aqueous buffers, C16 1-deoxyceramide (m18:1/16:0) should first be dissolved in ethanol and then diluted with the aqueous buffer of choice. C16 1-Deoxyceramide (m18:1/16:0) has a solubility of approximately 0.5 mg/ml in a 1:1 solution of ethanol:PBS (pH 7.2) using this method. We do not recommend storing the aqueous solution for more than one day.

Description

C16 1-Deoxyceramide (m18:1/16:0) is a long-chain atypical ceramide containing a 1-deoxysphingosine (m18:1(4E)) (Item No. 24687) backbone. 1-Deoxysphingolipids are formed when serine palmitoyltransferase condenses palmitoyl-CoA with alanine instead of serine during sphingolipid synthesis. ^{1,2} C16 1-Deoxyceramide (m18:1/16:0) has been found in RAW 264.7 cells.³

References

- 1. Steiner, R., Saied, E.M., Othman, A., et al. Elucidating the chemical structure of native 1-deoxysphingosine. J. Lipid Res. 57(7), 1194-1203 (2016).
- 2. Alecu, I., Othman, A., Penno, A., et al. Cytotoxic 1-deoxysphingolipids are metabolized by a cytochrome P450-dependent pathway. J. Lipid Res. 58(1), 60-71 (2017).
- 3. Jiménez-Rojo, N., Sot, J., Busto, J.V., et al. Biophysical properties of novel 1-deoxy-(dihydro)ceramides occurring in mammalian cells. Biophys. J. 107(12), 2850-2859 (2014).

WARNING
THIS PRODUCT IS FOR RESEARCH ONLY - NOT FOR HUMAN OR VETERINARY DIAGNOSTIC OR THERAPEUTIC USE.

This material should be considered hazardous until further information becomes available. Do not ingest, inhale, get in eyes, on skin, or on clothing. Wash thoroughly after handling. Before use, the user must review the complete Safety Data Sheet, which has been sent via email to your institution.

WARRANTY AND LIMITATION OF REMEDY

subject to Cayman's Terms and Conditions. Complete Terms and Conditions including Warranty and Limitation of Liability information can be found on our website

Copyright Cayman Chemical Company, 04/07/2020

CAYMAN CHEMICAL

1180 EAST ELLSWORTH RD ANN ARBOR, MI 48108 · USA PHONE: [800] 364-9897

[734] 971-3335

FAX: [734] 971-3640 CUSTSERV@CAYMANCHEM.COM WWW.**CAYMANCHEM**.COM