



**SZABO
SCANDIC**

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

linkedin.com/company/szaboscandic



PRODUCT INFORMATION

22-NBD Cholesterol

Item No. 30136

CAS Registry No.: 78949-95-8

Formal Name: 20S-methyl-21-[(7-nitro-2,1,3β-benzoxadiazol-4-yl)amino]-pregn-5-en-3-ol

MF: C₂₈H₃₈N₄O₄

FW: 494.6


Purity: ≥90%

Ex./Em. Max: 472/540 nm

Supplied as: A solid

Storage: -20°C

Stability: ≥2 years



Information represents the product specifications. Batch specific analytical results are provided on each certificate of analysis.

Laboratory Procedures

22-NBD cholesterol is supplied as a solid. A stock solution may be made by dissolving the 22-NBD cholesterol in the solvent of choice, which should be purged with an inert gas. 22-NBD cholesterol is soluble in methanol.

Description

22-NBD cholesterol is a fluorescent analog of cholesterol (Item No. 9003100) that contains a fluorescent nitrobenzoxadiazole (NBD) group.¹ It has been used in a variety of *in vitro* and *in vivo* applications, including analysis of steroid uptake and esterification, intracellular localization and targeting, and metabolism in mammalian and bacterial cells, and intestinal absorption of cholesterol in hamsters.²⁻⁴ 22-NBD cholesterol displays excitation/emission maxima of 472/540 nm, respectively, when incorporated into 1,2-dimyristoyl-sn-glycero-3-PC (DMPC; Item No. 15097) vesicles.⁵ The emission maximum of 22-NBD cholesterol is solvent-dependent and increases as solvent polarity increases.¹

References

1. Craig, I.F., Via, D.P., Mantulin, W.W., et al. Low density lipoproteins reconstituted with steroids containing the nitrobenzoxadiazole fluorophore. *J. Lipid Res.* **22**(4), 687-696 (1981).
2. Faletrov, Y., Brzostek, A., Plocinska, R., et al. Uptake and metabolism of fluorescent steroids by mycobacterial cells. *Steroids* **117**, 29-37 (2017).
3. Frolov, A., Petrescu, A., Atshaves, B.P., et al. High density lipoprotein-mediated cholesterol uptake and targeting to lipid droplets in intact L-cell fibroblasts. A single- and multiphoton fluorescence approach. *J. Biol. Chem.* **275**(17), 12769-12780 (2000).
4. Sparrow, C.P., Patel, S., Baffic, J., et al. A fluorescent cholesterol analog traces cholesterol absorption in hamsters and is esterified *in vivo* and *in vitro*. *J. Lipid Res.* **40**(10), 1747-1757 (1999).
5. Ostašov, P., Sýkora, J., Brejchová, J., et al. FLIM studies of 22- and 25-NBD-cholesterol in living HEK293 cells: Plasma membrane change induced by cholesterol depletion. *Chem. Phys. Lipids* **167-168**, 62-69 (2013).

WARNING

THIS PRODUCT IS FOR RESEARCH ONLY - NOT FOR HUMAN OR VETERINARY DIAGNOSTIC OR THERAPEUTIC USE.

SAFETY DATA

This material should be considered hazardous until further information becomes available. Do not ingest, inhale, get in eyes, on skin, or on clothing. Wash thoroughly after handling. Before use, the user must review the complete Safety Data Sheet, which has been sent via email to your institution.

WARRANTY AND LIMITATION OF REMEDY

Buyer agrees to purchase the material subject to Cayman's Terms and Conditions. Complete Terms and Conditions including Warranty and Limitation of Liability information can be found on our website.