

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten! See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere Liefer- und Versandbedingungen

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

linkedin.com/company/szaboscandic in



Product Information

RICK Blocking Peptide

Item No. 301785

Apoptosis is mediated by death domain (DD) and/or caspase recruitment domain (CARD) containing molecules and a caspase family of proteases. DD-containing serine/threonine kinase RIP regulates Fas-induced apoptosis. A novel CARD-containing serine/threonine kinase that regulates apoptosis was recently identified and designated RICK for RIP-like interacting CLARP kinase. RICK contains an N-terminal kinase catalytic domain and a C-terminal CARD domain. The RICK kinase domain has high sequence homology to that of RIP. Overexpression of RICK promotes the activation of caspase-8 and Fas-induced apoptosis. RICK represents a novel kinase that regulates Fas-induced apoptosis. The mRNA for RICK is expressed in multiple human tissues.¹

Laboratory Procedures

This vial contains 200 µg of peptide supplied in 200 µl TBS pH 7.2, containing 0.1% BSA and 0.02% sodium azide. This peptide is derived from the human RICK sequence (amino acids 11-30; PTIPYHKLADLRYLSRGASG) and was used as an antigen for production of the RICK Polyclonal Antibody (Item No. 160785). This blocking peptide can be used in conjunction with Cayman Chemical's RICK polyclonal antibody to block protein-antibody complex formation during immunochemical analysis of RICK..

Store this peptide solution at -20°C. It will be stable for at least two years. To block antibody/protein complex formation, the following procedure is recommended:

- 1. Mix the RICK Polyclonal Antibody (Item No. 160785) and blocking peptide together in a 1:1 (v/v) ratio in a microfuge tube. For example, mix 20 µl of antibody and 20 µl of peptide.*
- Incubate for one hour at room temperature with occasional mixing prior to further dilution and application of the mixture to the immunoblot.
- 3. Dilute the mixture to the final working antibody concentration and apply to the slide or membrane as usual.

*This is a recommended mixture. The minimum amount of peptide needed for complete blocking has not been precisely determined and may vary depending on the sample being analyzed. The amount of peptide required may need to be increased if sufficient blocking does not occur.

Reference

1. Inohara, N., del Peso, L., Koseki, T., et al. RICK, a novel protein kinase containing a caspase recruitment domain, interacts with CLARP and regulates CD95-mediated apoptosis. J. Biol. Chem. 273, 12296-12300 (1998).

Related Products

For a list of related products please visit: www.caymanchem.com/catalog/301785

WARNING: This product is for laboratory research only: not for administration to humans. Not for human or veterinary DIAGNOSTIC OR THERAPEUTIC USE.

This material should be considered hazardous until information to the contrary becomes available. Do not ingest, swallow, or inhale. Do not get in eyes, on skin, or on clothing. Wash thoroughly after handling. This information contains some, but not all, of the information required for the safe and proper use of this material. Before use, the user must review the complete Material Safety Data Sheet, which has been sent via email to your institution.

Cayman Chemical Company makes no warranty or guarantee of any kind, whether written or oral, expressed or implied, including without limitation, any warranty of fitness for a particular prose, suitability and merchantability, which extends beyond the description of the chemicals hereof. Cayman warrants only to the original customer that the material will meet our specifications

purpose, suitability and merchantaoniny, which extends 64/000 to the description of the purchase price of delivery.

Cayman will carry out its delivery obligations with due care and skill. Thus, in no event will Cayman have any obligation or liability, whether in tort (including negligence) or in contract, for any direct, incidental or consequential damages, even if Cayman is informed about their possible existence.

This limitation of liability does not apply in the case of intentional acts or negligence of Cayman, its directors or its employees.

Buyer's exclusive remedy and Cayman's sole liability hereunder shall be limited to a refund of the purchase price, or at Cayman's option, the replacement, at no cost to Buyer, of all material that

tools not mere our specimentous.

Said refund or replacement is conditioned on Buyer giving written notice to Cayman within thirty (30) days after arrival of the material at its destination. Failure of Buyer to give said notice within thirty (30) days shall constitute a waiver by Buyer of all claims hereunder with respect to said material.

For further details, please refer to our Warranty and Limitation of Remedy located on our website and in our catalog.

Copyright Cayman Chemical Company, 09/06/2012

Cayman Chemical

Mailing address

1180 E. Ellsworth Road Ann Arbor, MI 48108 USA

Phone

(800) 364-9897 (734) 971-3335

(734) 971-3640

custserv@caymanchem.com

www.caymanchem.com