

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten! See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere Liefer- und Versandbedingungen

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

linkedin.com/company/szaboscandic in



PRODUCT INFORMATION



4-Androsten-11β-ol-3,17-dione

Item No. 30410

CAS Registry No.: 382-44-5

Formal Name: 11β-hydroxy-androst-4-ene-3,17-dione

Synonyms: 11β-Hydroxy-4-androsten-3,17-dione, NSC 12168,

NSC 17102, 110HA4, U-2826

MF: $C_{19}H_{26}O_3$ FW: 302.4 **Purity:** ≥98% UV/Vis.: λ_{max} : 241 nm Supplied as: A crystalline solid

Storage: -20°C Stability: ≥2 years

Information represents the product specifications. Batch specific analytical results are provided on each certificate of analysis.



4-Androsten-11β-ol-3,17-dione is supplied as a crystalline solid. A stock solution may be made by dissolving the 4-Androsten-11\(\beta \)-01-3,17-dione in the solvent of choice, which should be purged with an inert gas. 4-Androsten-11β-ol-3,17-dione is soluble in organic solvents such as ethanol, DMSO, and dimethyl formamide (DMF). The solubility of 4-Androsten-11β-ol-3,17-dione in these solvents is approximately 5, 15, and 20 mg/ml, respectively.

4-Androsten-11β-ol-3,17-dione is sparingly soluble in aqueous buffers. For maximum solubility in aqueous buffers, 4-Androsten-11 β -ol-3,17-dione should first be dissolved in DMF and then diluted with the aqueous buffer of choice. 4-Androsten-11β-ol-3,17-dione has a solubility of approximately 0.14 mg/ml in a 1:6 solution of DMF:PBS (pH 7.2) using this method. We do not recommend storing the aqueous solution for more than one day.

Description

4-Androsten-11β-ol-3,17-dione is a steroid that has been found in isolated human female adrenal veins. It is non-androgenic, however, it is metabolized to the androgenic 5α-reduced C19 steroids 11-hydroxy-5α-androstanedione, 11-keto-5α-androstanedione, 11-hydroxydihydrotestosterone, and 11-ketodihydrotestosterone in LNCaP cells.

Reference

1. Storbeck, K.-H., Bloem, L.M., Africander, D., et al. 11β-Hydroxydihydrotestosterone and 11-keto dihydrotestosterone, novel C19 steroids with androgenic activity: A putative role in castration resistant prostate cancer? Mol. Cell. Endocrinol. 377(1-2), 135-146 (2013).

WARNING
THIS PRODUCT IS FOR RESEARCH ONLY - NOT FOR HUMAN OR VETERINARY DIAGNOSTIC OR THERAPEUTIC USE.

This material should be considered hazardous until further information becomes available. Do not ingest, inhale, get in eyes, on skin, or on clothing. Wash thoroughly after handling. Before use, the user must review the complete Safety Data Sheet, which has been sent via email to your institution.

WARRANTY AND LIMITATION OF REMEDY

subject to Cayman's Terms and Conditions. Complete Terms and Conditions including Warranty and Limitation of Liability information can be found on our website

Copyright Cayman Chemical Company, 12/11/2020

CAYMAN CHEMICAL

1180 EAST ELLSWORTH RD ANN ARBOR, MI 48108 · USA PHONE: [800] 364-9897

[734] 971-3335

FAX: [734] 971-3640 CUSTSERV@CAYMANCHEM.COM WWW.**CAYMANCHEM**.COM