



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 


PRODUCT INFORMATION



Docosahexaenoic Acid 1,2,3,4-¹³C

Item No. 31104

Formal Name: 4Z,7Z,10Z,13Z,16Z,19Z-docosahexaenoic-1,2,3,4-¹³C₄ acid
Synonyms: C22:6 n-3 1,2,3,4-¹³C, C22:6(4Z,7Z,10Z,13Z,16Z,19Z) 1,2,3,4-¹³C, Cervonic Acid 1,2,3,4-¹³C, DHA 1,2,3,4-¹³C
MF: C₁₈[¹³C]₄H₃₂O₂
FW: 332.5
Purity: ≥95%
Supplied as: A solution in ethanol
Storage: -20°C
Stability: ≥1 year



Information represents the product specifications. Batch specific analytical results are provided on each certificate of analysis.

Description

Docosahexaenoic acid 1,2,3,4-¹³C (DHA 1,2,3,4-¹³C) is intended for use as an internal standard for the quantification of DHA (Item Nos. 90310 | 17950) by GC- or LC-MS. DHA is a long-chain ω-3 polyunsaturated fatty acid (PUFA) found in fish and algal oils.¹ It comprises approximately 40% of total brain PUFAs and is abundant in grey matter and retinal membranes.² DHA typically represents 0.52-7.5% of human total plasma fatty acids. It is produced from α-linolenic acid (ALA; Item Nos. 90210 | 21910) via a series of desaturase- and elongase-catalyzed reactions, resulting in a docosapentaenoic acid (DPA; Item Nos. 90165 | 21907) intermediate, which is elongated, desaturated, and β-oxidized to produce DHA.³ DHA can be liberated from cellular membranes by phospholipase A₂ (PLA₂) and converted to numerous oxylipins, including specialized pro-resolving mediators (SPMs), which are produced by lipoxygenases and include D-series protectins and resolvins, as well as maresins, that regulate host defense and the resolution of inflammation.⁴ DHA has roles in several physiological and pathological processes, including neural development, cardiovascular diseases, obesity, and inflammation.^{3,5}

References

1. Kuratko, C.N. and Salem, N., Jr. Biomarkers of DHA status. *Prostaglandins Leukot. Essent. Fatty Acids* **81(2-3)**, 111-118 (2009).
2. Lacombe, R.J.S., Chouinard-Watkins, R., and Bazinet, R.P. Brain docosahexaenoic acid uptake and metabolism. *Mol. Aspects Med.* **64**, 109-134 (2018).
3. Calder, P.C. Docosahexaenoic acid. *Ann. Nutr. Metab.* **69(Suppl 1)**, 7-21 (2016).
4. Basil, B.C. and Levy, B.D. Specialized pro-resolving mediators: Endogenous regulators of infection and inflammation. *Nat. Rev. Immunol.* **16(1)**, 51-67 (2016).
5. Arnoldussen, I.A.C. and Kiliaan, A.J. Impact of DHA on metabolic diseases from womb to tomb. *Mar. Drugs* **12(12)**, 6190-6212 (2014).

WARNING

THIS PRODUCT IS FOR RESEARCH ONLY - NOT FOR HUMAN OR VETERINARY DIAGNOSTIC OR THERAPEUTIC USE.

SAFETY DATA

This material should be considered hazardous until further information becomes available. Do not ingest, inhale, get in eyes, on skin, or on clothing. Wash thoroughly after handling. Before use, the user must review the complete Safety Data Sheet, which has been sent via email to your institution.

WARRANTY AND LIMITATION OF REMEDY

Buyer agrees to purchase the material subject to Cayman's Terms and Conditions. Complete Terms and Conditions including Warranty and Limitation of Liability information can be found on our website.

Copyright Cayman Chemical Company, 12/20/2021

CAYMAN CHEMICAL

1180 EAST ELLSWORTH RD
ANN ARBOR, MI 48108 · USA

PHONE: [800] 364-9897
[734] 971-3335

FAX: [734] 971-3640

CUSTSERV@CAYMANCHEM.COM
WWW.CAYMANCHEM.COM