



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

PRODUCT INFORMATION



Ganglioside G_{M3} Mixture (ammonium salt)

Item No. 31711

CAS Registry No.: 54827-14-4

Synonyms: Hematoside Mixture,
Sialosyllactosylceramide Mixture

MF: C₆₄H₁₁₇N₂O₂₁ • NH₄ (for tricosanoyl)

FW: 1,268.7

Purity: ≥98%


Supplied as: A solid

Storage: -20°C

Stability: ≥2 years

Special Conditions: Forms a micellar solution in water

Information represents the product specifications. Batch specific analytical results are provided on each certificate of analysis.



Laboratory Procedures

Ganglioside G_{M3} mixture (ammonium salt) is supplied as a solid. A stock solution may be made by dissolving the ganglioside G_{M3} mixture (ammonium salt) in the solvent of choice, which should be purged with an inert gas. Ganglioside G_{M3} mixture (ammonium salt) is soluble in a 2:1 solution of chloroform:methanol.

Description

Ganglioside G_{M3} is a monosialoganglioside that demonstrates antiproliferative and pro-apoptotic effects in tumor cells by modulating cell adhesion, proliferation, and differentiation.^{1,2} It suppresses angiogenesis and reduces proliferation and migration of human umbilical vein endothelial cells (HUVECs) when used at a concentration of 20 μM *via* inhibition of VEGFR2 and Akt phosphorylation.^{1,2} Ganglioside G_{M3} induces dissociation of the insulin receptor-caveolin-1 complex from lipid microdomains, functioning as an inhibitor of insulin signaling and contributing to insulin resistance in adipocytes.³ Ganglioside G_{M3} mixture contains ganglioside G_{M3} molecular species with primarily C22:0, C23:0, and C24:0 fatty acyl chain lengths.

References

1. Mukherjee, P., Faber, A.C., Shelton, L.M., *et al.* *Thematic review series: Sphingolipids*. Ganglioside GM3 suppresses the proangiogenic effects of vascular endothelial growth factor and ganglioside GD1a. *J. Lipid Res.* **49(5)**, 929-938 (2008).
2. Seyfried, T.N. and Mukherjee, P. Ganglioside GM3 is antiangiogenic in malignant brain cancer. *J. Oncol.* 961243 (2010).
3. Kabayama, K., Sato, T., Saito, K., *et al.* Dissociation of the insulin receptor and caveolin-1 complex by ganglioside GM3 in the state of insulin resistance. *Proc. Natl. Acad. Sci. USA* **104(34)**, 13678-13683 (2007).

WARNING

THIS PRODUCT IS FOR RESEARCH ONLY - NOT FOR HUMAN OR VETERINARY DIAGNOSTIC OR THERAPEUTIC USE.

SAFETY DATA

This material should be considered hazardous until further information becomes available. Do not ingest, inhale, get in eyes, on skin, or on clothing. Wash thoroughly after handling. Before use, the user must review the complete Safety Data Sheet, which has been sent via email to your institution.

WARRANTY AND LIMITATION OF REMEDY

Buyer agrees to purchase the material subject to Cayman's Terms and Conditions. Complete Terms and Conditions including Warranty and Limitation of Liability information can be found on our website.

Copyright Cayman Chemical Company, 12/16/2020

CAYMAN CHEMICAL

1180 EAST ELLSWORTH RD
ANN ARBOR, MI 48108 · USA

PHONE: [800] 364-9897

[734] 971-3335

FAX: [734] 971-3640

CUSTSERV@CAYMANCHEM.COM
WWW.CAYMANCHEM.COM