



# SZABO SCANDIC

Part of Europa Biosite

## Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!  
See the following pages for more information!



### Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

### Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

[mail@szabo-scandic.com](mailto:mail@szabo-scandic.com)

[www.szabo-scandic.com](http://www.szabo-scandic.com)

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

# PRODUCT INFORMATION



## PDE9A2 (human, recombinant)

Item No. 32039


### Overview and Properties

**Synonym:** High Affinity cGMP-specific 3',5'-cyclic Phosphodiesterase 9A  
**Source:** Recombinant human N-terminal His-GST-tagged PDE9A2 expressed in insect cells  
**Amino Acids:** 1-533 (full length)  
**Uniprot No.:** O76083-2  
**Molecular Weight:** 89.5 kDa  
**Storage:** -80°C (as supplied)  
**Stability:** ≥1 year  
**Purity:** ≥90% estimated by SDS-PAGE  
**Supplied in:** Lyophilized from sterile 20 mM Tris, pH 7.4, with 500 mM sodium chloride, 5 mM GSH, and 10% glycerol

**Endotoxin Testing:** <1.0 EU/μg, determined by the LAL endotoxin assay

Information represents the product specifications. Batch specific analytical results are provided on each certificate of analysis.

### Image



Lane 1: MW Markers  
Lane 2: PDE9A2

**SDS-PAGE Analysis of PDE9A2 .** This protein has a calculated molecular weight of 89.5 kDa. It has an apparent molecular weight of approximately 75 kDa by SDS-PAGE under reducing conditions.

**WARNING**  
THIS PRODUCT IS FOR RESEARCH ONLY - NOT FOR HUMAN OR VETERINARY DIAGNOSTIC OR THERAPEUTIC USE.

**SAFETY DATA**  
This material should be considered hazardous until further information becomes available. Do not ingest, inhale, get in eyes, on skin, or on clothing. Wash thoroughly after handling. Before use, the user must review the complete Safety Data Sheet, which has been sent via email to your institution.

**WARRANTY AND LIMITATION OF REMEDY**  
Buyer agrees to purchase the material subject to Cayman's Terms and Conditions. Complete Terms and Conditions including Warranty and Limitation of Liability information can be found on our website.

Copyright Cayman Chemical Company, 06/03/2020

**CAYMAN CHEMICAL**

1180 EAST ELLSWORTH RD

ANN ARBOR, MI 48108 · USA

PHONE: [800] 364-9897

[734] 971-3335

FAX: [734] 971-3640

CUSTSERV@CAYMANCHEM.COM

WWW.CAYMANCHEM.COM

# PRODUCT INFORMATION



## Description

---

Phosphodiesterase 9A (PDE9A) is a high-affinity cGMP-specific cyclic nucleotide phosphodiesterase.<sup>1</sup> Alternative splicing in the 5' region of *PDE9A* mRNA results in a variety of PDE9A isoforms, including PDE9A2, whereas the 3' region encoding the catalytic PDE domain does not vary between isoforms.<sup>2,3</sup> *PDE9A2* mRNA is expressed in colon, prostate, spleen, peripheral blood leukocytes, small intestine, thymus, testis, and ovary.<sup>2</sup> PDE9A2 localizes to membrane ruffles, the perinuclear region, and other membrane regions when transiently overexpressed in HeLa and COS-1 cells.<sup>3</sup> *PDE9A* expression is elevated in reticulocytes and neutrophils isolated from patients with sickle cell disease compared with healthy individuals.<sup>4</sup> Cayman's PDE9A2 (human, recombinant) protein consists of 770 amino acids and has a calculated molecular weight of 89.5 kDa. By SDS-PAGE, under reducing conditions, the apparent molecular mass of the protein is approximately 75 kDa.

## References

---

1. Fisher, D.A., Smith, J.F., Pillar, J.S., *et al.* Isolation and characterization of PDE9A, a novel human cGMP-specific phosphodiesterase. *J. Biol. Chem.* **273**(25), 15559-15564 (1998).
2. Rentero, C., Monfort, A., and Puigdomènech, P. Identification and distribution of different mRNA variants produced by differential splicing in the human phosphodiesterase 9A gene. *Biochem. Biophys. Res. Commun.* **301**(3), 686-692 (2003).
3. Dorner-Ciossek, C., Kroker, K.S., and Rosenbrock, H. Role of PDE9 in cognition. *Phosphodiesterases: CNS Functions and Diseases*. Zhang, H.-T., Xu, Y., and O'Donnell, J.M., editors, 1st edition, *Springer* (2017).
4. Almeida, C.B., Traina, F., Lanaro, C., *et al.* High expression of the cGMP-specific phosphodiesterase, PDE9A, in sickle cell disease (SCD) and the effects of its inhibition in erythroid cells and SCD neutrophils. *Br. J. Haematol.* **142**(5), 836-844 (2008).

CAYMAN CHEMICAL  
1180 EAST ELLSWORTH RD  
ANN ARBOR, MI 48108 · USA  
PHONE: [800] 364-9897  
[734] 971-3335  
FAX: [734] 971-3640  
CUSTSERV@CAYMANCHEM.COM  
WWW.CAYMANCHEM.COM