



# SZABO SCANDIC

Part of Europa Biosite

## Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!  
See the following pages for more information!



### Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

### Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

[mail@szabo-scandic.com](mailto:mail@szabo-scandic.com)

[www.szabo-scandic.com](http://www.szabo-scandic.com)

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

# PRODUCT INFORMATION



## PDE1B1 (human, recombinant)


Item No. 32040

### Overview and Properties

**Synonyms:** Calcium/Calmodulin-dependent 3',5'-Cyclic Nucleotide Phosphodiesterase 1B, Cam-PDE 1B, Phosphodiesterase 1B1  
**Source:** Recombinant human N-terminal His-GST-tagged PDE1B1 expressed in insect cells  
**Amino Acids:** 1-536 (full length)  
**Uniprot No.:** Q01064-1  
**Molecular Weight:** 89.2 kDa  
**Storage:** -80°C (as supplied)  
**Stability:** ≥1 year  
**Purity:** ≥94% estimated by SDS-PAGE  
**Supplied in:** Lyophilized from sterile 50 mM Tris, pH 8.0, with 100 mM sodium chloride  
**Endotoxin Testing:** <1.0 EU/μg, determined by the LAL endotoxin assay

Information represents the product specifications. Batch specific analytical results are provided on each certificate of analysis.

### Image



Lane 1: MW Markers  
Lane 2: PDE1B1

SDS-PAGE Analysis of PDE1B1.

WARNING  
THIS PRODUCT IS FOR RESEARCH ONLY - NOT FOR HUMAN OR VETERINARY DIAGNOSTIC OR THERAPEUTIC USE.

SAFETY DATA  
This material should be considered hazardous until further information becomes available. Do not ingest, inhale, get in eyes, on skin, or on clothing. Wash thoroughly after handling. Before use, the user must review the complete Safety Data Sheet, which has been sent via email to your institution.

WARRANTY AND LIMITATION OF REMEDY  
Buyer agrees to purchase the material subject to Cayman's Terms and Conditions. Complete Terms and Conditions including Warranty and Limitation of Liability information can be found on our website.

Copyright Cayman Chemical Company, 06/18/2020

CAYMAN CHEMICAL  
1180 EAST ELLSWORTH RD  
ANN ARBOR, MI 48108 · USA  
PHONE: [800] 364-9897  
[734] 971-3335  
FAX: [734] 971-3640  
CUSTSERV@CAYMANCHEM.COM  
WWW.CAYMANCHEM.COM

# PRODUCT INFORMATION



## Description

---

Phosphodiesterase 1B (PDE1B) is a calcium/calmodulin-stimulated cyclic nucleotide phosphodiesterase that hydrolyzes both cAMP and cGMP.<sup>1</sup> Alternative splicing of *PDE1B* pre-mRNA results in the formation of various PDE1B isoforms, including PDE1B1.<sup>2</sup> PDE1B1 is comprised of an N-terminal calmodulin binding domain, a catalytic domain, and a C-terminal domain.<sup>1</sup> *PDE1B1* is expressed in the brain, with the highest levels observed in the caudate nucleus and putamen.<sup>2</sup> *PDE1B* knockout mice have decreased striatal serotonin levels and exhibit increased spontaneous locomotor activity in a novel environment, as well as increased methamphetamine-induced locomotor activity compared with wild-type mice.<sup>3</sup> Striatal expression of *PDE1B* is decreased in the R6/2 transgenic mouse model of Huntington's disease.<sup>4</sup> Cayman's PDE1B1 (human, recombinant) protein consists of 773 amino acids and has a calculated molecular weight of 89.2 kDa.

## References

---

1. Yu, J., Wolda, S.L., Frazier, A.L.B., *et al.* Identification and characterisation of a human calmodulin-stimulated phosphodiesterase PDE1B1. *Cell Signal*. **9(7)**, 519-529 (1997).
2. Fidock, M., Miller, M., and Lanfear, J. Isolation and differential tissue distribution of two human cDNAs encoding PDE1 splice variants. *Cell Signal*. **14(1)**, 53-60 (2002).
3. Siuciak, J.A., McCarthy, S.A., Chapin, D.S., *et al.* Behavioral and neurochemical characterization of mice deficient in the phosphodiesterase-1B (PDE1B) enzyme. *Neuropharmacology* **53(1)**, 113-124 (2007).
4. Hebb, A.L.O., Robertson, H.A., and Denovan-Wright, E.M. Striatal phosphodiesterase mRNA and protein levels are reduced in Huntington's disease transgenic mice prior to the onset of motor symptoms. *Neuroscience* **123(4)**, 967-981 (2004).