

Produktinformation



Forschungsprodukte & Biochemikalien
Zellkultur & Verbrauchsmaterial
Diagnostik & molekulare Diagnostik
Laborgeräte & Service

Weitere Information auf den folgenden Seiten! See the following pages for more information!



Lieferung & Zahlungsart siehe unsere Liefer- und Versandbedingungen

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien T. +43(0)1 489 3961-0 F. +43(0)1 489 3961-7 <u>mail@szabo-scandic.com</u> www.szabo-scandic.com

PRODUCT INFORMATION



4-hydroxy Nonenal Mercapturic Acid

Item No. 32110

CAS Registry No.: Formal Name:	146764-24-1 N-acetyl-S-(tetrahydro-5-hydroxy-2- pentyl-3-furanyl)-L-cysteine	OH
MF:	$C_{14}H_{25}NO_5S$	
FW:	319.4	СООН
Purity:	≥98%	> ~ ~ `\$` \
Supplied as:	A solution in ethanol	, N
Storage:	-80°C	H. H.
Stability:	≥1 year	0

Information represents the product specifications. Batch specific analytical results are provided on each certificate of analysis.

Laboratory Procedures

4-hydroxy Nonenal mercapturic acid is supplied as a solution in ethanol. To change the solvent, simply evaporate the ethanol under a gentle stream of nitrogen and immediately add the solvent of choice. Solvents such as DMSO and dimethyl formamide purged with an inert gas can be used. The solubility of 4-hydroxy nonenal mercapturic acid in these solvents is approximately 50 mg/ml.

Further dilutions of the stock solution into aqueous buffers or isotonic saline should be made prior to performing biological experiments. Ensure that the residual amount of organic solvent is insignificant, since organic solvents may have physiological effects at low concentrations. If an organic solvent-free solution of 4-hydroxy nonenal mercapturic acid is needed, it can be prepared by evaporating the ethanol and directly dissolving the neat oil in aqueous buffers. The solubility of 4-hydroxy nonenal mercapturic acid in PBS (pH 7.2) is approximately 100 μ g/ml. We do not recommend storing the aqueous solution for more than one day.

Description

Peroxidation of polyunsaturated fatty acids in circulating lipid particles and membrane phospholipids leads to transient fatty acid hydroperoxides.¹ Several non-enzymatic routes of decomposition are available to these lipid hydroperoxides, including a β -cleavage reaction which breaks the carbon-carbon bond next to the hydroperoxide and produces alkenals, including 4-hydroxy nonenal (4-HNE). Common ω -6 fatty acids such as linoleic acid, dihomo-γ-linolenic acid, and arachidonic acid can give rise to 4-HNE. 4-HNE is cleared rapidly from the plasma and undergoes enterohepatic circulation as a glutathione conjugate in the rat.² About two thirds of an administered dose of 4-HNE is excreted within 48 hours in the urine, primarily in the form of mercapturic acid conjugates.³ The C-1 aldehyde of 4-HNE is reduced to an alcohol in about half of these metabolites. The remainder are C-1 aldehydes or have been oxidized to C-1 carboxylic acids. These aldehydes and carboxylic acids can also form γ -lactols and γ -lactones, respectively, producing at least 4 or 5 end urinary metabolites of 4-HNE in vivo.

References

- 1. Pryor, W.A. and Porter, N.A. Suggested mechanisms for the production of 4-hydroxy-2-nonenal from the autoxidation of polyunsaturated fatty acids. Free Radic. Biol. Med. 8, 541-543 (1990).
- 2. Laurent, A., Alary, J., Debrauwer, L., et al. Analysis in the rat of 4-hydroxynonenal metabolites excreted in bile: Evidence of enterohepatic circulation of these byproducts of lipid peroxidation. Chem. Res. Toxicol. 12, 887-894 (1999).
- 3. Alary, J., Bravais, F., Cravedi, J.-P., et al. Mercapturic acid conjugates as urinary end metabolites of the lipid peroxidation product 4-hydroxy-2-nonenal in the rat. Chem. Res. Toxicol. 8, 34-39 (1995).

WARNING THIS PRODUCT IS FOR RESEARCH ONLY - NOT FOR HUMAN OR VETERINARY DIAGNOSTIC OR THERAPEUTIC USE.

SAFFTY DATA

This material should be considered hazardous until further information becomes available. Do not ingest, inhale, get in eyes, on skin, or on clothing. Wash thoroughly after handling. Before use, the user must review the complete Safety Data Sheet, which has been sent via email to your institution.

WARRANTY AND LIMITATION OF REMEDY

uyer agrees to purchase the material subject to Cayman's Terms and Conditions. Complete Terms and Conditions including Warranty and Limitation of Liability information can be found on our website.

Copyright Cayman Chemical Company, 01/25/2021

CAYMAN CHEMICAL

1180 EAST ELLSWORTH RD ANN ARBOR, MI 48108 · USA PHONE: [800] 364-9897 [734] 971-3335 FAX: [734] 971-3640 CUSTSERV@CAYMANCHEM.COM WWW.CAYMANCHEM.COM