



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 


PRODUCT INFORMATION



Vicenin-2

Item No. 33403

CAS Registry No.: 23666-13-9
Formal Name: 6,8-di-β-D-glucopyranosyl-5,7-dihydroxy-2-(4-hydroxyphenyl)-4H-1-benzopyran-4-one
Synonyms: Vicenin II, Violantin
MF: C₂₇H₃₀O₁₅
FW: 594.5
Purity: ≥98%
UV/Vis.: λ_{max}: 218, 274, 335 nm
Supplied as: A crystalline solid
Storage: -20°C
Stability: ≥2 years
Item Origin: Plant/*Desmodium styracifolium*



Information represents the product specifications. Batch specific analytical results are provided on each certificate of analysis.

Laboratory Procedures

Vicenin-2 is supplied as a crystalline solid. A stock solution may be made by dissolving the vicenin-2 in the solvent of choice, which should be purged with an inert gas. Vicenin-2 is soluble in methanol.

Description

Vicenin-2 is a polyketide synthase-derived flavonoid glycoside that has been found in *C. subternata* and has diverse biological activities.¹⁻⁵ It inhibits thrombin-induced aggregation of isolated mouse platelets when used at concentrations ranging from 2 to 30 μM, as well as increases tail bleeding time in mice when administered at a dose of 35.7 μg/animal.² Vicenin-2 (1 mg/kg) reduces tumor growth in a PC3 prostate cancer mouse xenograft model.³ It decreases trabecular separation, as well as increases trabecular thickness and area, in an ovariectomized rat model of osteoporosis.⁴ Vicenin-2 (50 mg/kg) decreases ulceration and increases colon weight and length in a mouse model of colitis induced by dextran sulfate (DSS; Item No. 23250).⁵

References

1. Kitamura, K., Ando, Y., Matsumoto, T., *et al.* Total synthesis of aryl C-glycoside natural products: Strategies and tactics. *Chem. Rev.* **118**(4), 1495-1598 (2018).
2. Lee, W. and Bae, J.-S. Antithrombotic and antiplatelet activities of vicenin-2. *Blood Coagul. Fibrinolysis* **26**(6), 628-634 (2015).
3. Nagaprashantha, L.D., Vatsyayan, R., Singhal, J., *et al.* Anti-cancer effects of novel flavonoid vicenin-2 as a single agent and in synergistic combination with docetaxel in prostate cancer. *Biochem. Pharmacol.* **82**(9), 1100-1109 (2011).
4. Zhang, Z., Zhao, Q., Liu, T., *et al.* Effect of vicenin-2 on ovariectomy-induced osteoporosis in rats. *Biomed. Pharmacother.* **129**, 110474 (2020).
5. Yin, Y., Ye, L., Niu, Z., *et al.* Anti-inflammatory effects of vicenin-2 on dextran sulfate sodium-induced colitis in mice. *Drug Dev. Res.* **80**(5), 546-555 (2019).

WARNING

THIS PRODUCT IS FOR RESEARCH ONLY - NOT FOR HUMAN OR VETERINARY DIAGNOSTIC OR THERAPEUTIC USE.

SAFETY DATA

This material should be considered hazardous until further information becomes available. Do not ingest, inhale, get in eyes, on skin, or on clothing. Wash thoroughly after handling. Before use, the user must review the complete Safety Data Sheet, which has been sent via email to your institution.

WARRANTY AND LIMITATION OF REMEDY

Buyer agrees to purchase the material subject to Cayman's Terms and Conditions. Complete Terms and Conditions including Warranty and Limitation of Liability information can be found on our website.

Copyright Cayman Chemical Company, 07/13/2021

CAYMAN CHEMICAL

1180 EAST ELLSWORTH RD
ANN ARBOR, MI 48108 · USA

PHONE: [800] 364-9897
[734] 971-3335

FAX: [734] 971-3640

CUSTSERV@CAYMANCHEM.COM
WWW.CAYMANCHEM.COM