



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 


PRODUCT INFORMATION



SGC-SMARCA-BRDVIII

Item No. 33567

CAS Registry No.: 1997319-84-2
Formal Name: 4-[3-amino-6-(2-hydroxyphenyl)-4-pyridazinyl]-1-piperazinecarboxylic acid, 1,1-dimethylethyl ester
MF: C₁₉H₂₅N₅O₃
FW: 371.4
Purity: ≥98%
UV/Vis.: λ_{max}: 219, 265, 313 nm
Supplied as: A solid
Storage: -20°C
Stability: ≥4 years



Information represents the product specifications. Batch specific analytical results are provided on each certificate of analysis.

Laboratory Procedures

SGC-SMARCA-BRDVIII is supplied as a solid. A stock solution may be made by dissolving the SGC-SMARCA-BRDVIII in the solvent of choice, which should be purged with an inert gas. SGC-SMARCA-BRDVIII is soluble in DMSO.

Description

SGC-SMARCA-BRDVIII is a pan-inhibitor of family VIII bromodomain-containing proteins (BRDs), which are components of switch/sucrose nonfermentable (SWI/SNF) chromatin remodeling complexes.¹ It selectively binds to polybromo-1D (PBRM1) bromodomain 5, BRM, also known as SMARCA2, and BRG1, also known as SMARCA4 (K_ds = 13, 35, and 36 nM, respectively), over PBRM1 bromodomain 2, PBRM1 bromodomain 3, and PBRM1 bromodomain 4 (K_ds = 3,655, 1,963, and >10,000 nM, respectively). SGC-SMARCA-BRDVIII (1 μM) decreases lipid accumulation induced by the PPARγ agonist rosiglitazone (Item Nos. 71740 | 11884 | 71742) in 3T3-L1 mouse fibroblasts differentiated into adipocytes by a combination of the phosphodiesterase (PDE) inhibitor IBMX (Item No. 13347), the glucocorticoid dexamethasone (Item No. 11015), and insulin. It decreases expression of the genes encoding PPARγ, C/EBPα, and fatty acid binding protein 4 (FABP4), markers of adipocytes, in the same cells when used at a concentration of 0.5 μM. See the Structural Genomics Consortium (SGC) website for more information.

Reference

1. Wanior, M., Preuss, F., Ni, X., *et al.* Pan-SMARCA/PB1 bromodomain inhibitors and their role in regulating adipogenesis. *J. Med. Chem.* **63**(23), 14680-14699 (2020).

WARNING
THIS PRODUCT IS FOR RESEARCH ONLY - NOT FOR HUMAN OR VETERINARY DIAGNOSTIC OR THERAPEUTIC USE.

SAFETY DATA
This material should be considered hazardous until further information becomes available. Do not ingest, inhale, get in eyes, on skin, or on clothing. Wash thoroughly after handling. Before use, the user must review the complete Safety Data Sheet, which has been sent via email to your institution.

WARRANTY AND LIMITATION OF REMEDY
Buyer agrees to purchase the material subject to Cayman's Terms and Conditions. Complete Terms and Conditions including Warranty and Limitation of Liability information can be found on our website.

Copyright Cayman Chemical Company, 04/20/2023

CAYMAN CHEMICAL

1180 EAST ELLSWORTH RD
ANN ARBOR, MI 48108 · USA

PHONE: [800] 364-9897
[734] 971-3335

FAX: [734] 971-3640

CUSTSERV@CAYMANCHEM.COM
WWW.CAYMANCHEM.COM