



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

PRODUCT INFORMATION



JAK2 (human, recombinant)

Item No. 33742

Overview and Properties


Synonyms: Janus-Associated Kinase 2, JTK10, Tyrosine-protein Kinase JAK2
Source: Active recombinant human N-terminal His-tagged JAK2 expressed in insect cells
Amino Acids: 808-1,132
Uniprot No.: O60674
Molecular Weight: 42.5 kDa
Storage: -80°C (as supplied)
Stability: ≥6 months
Purity: *batch specific* (≥71% estimated by SDS-PAGE)
Supplied in: Lyophilized from sterile 40 mM Tris-HCl, pH 8.0, with 110 mM sodium chloride, 2.2 mM potassium chloride, 0.04% Tween 20, 3 mM DTT, and 20% glycerol

Protein

Concentration: *batch specific* mg/ml
Specific Activity: *batch specific* U/mg
Bioactivity: See figure for details


Information represents the product specifications. Batch specific analytical results are provided on each certificate of analysis.

Images



Lane 1: JAK2 (2 µg)
Lane 2: MW Markers

SDS-PAGE Analysis of JAK2. This protein has a calculated molecular weight of 42.5 kDa.



JAK2 incubated with 20 µM ATP and 0.2 mg/ml poly(Glu-Tyr, 4:1) substrate for 45 minutes at 30°C. Kinase activity determined by ADP detection assay.

WARNING
THIS PRODUCT IS FOR RESEARCH ONLY - NOT FOR HUMAN OR VETERINARY DIAGNOSTIC OR THERAPEUTIC USE.

SAFETY DATA
This material should be considered hazardous until further information becomes available. Do not ingest, inhale, get in eyes, on skin, or on clothing. Wash thoroughly after handling. Before use, the user must review the [complete](#) Safety Data Sheet, which has been sent via email to your institution.

WARRANTY AND LIMITATION OF REMEDY
Buyer agrees to purchase the material subject to Cayman's Terms and Conditions. Complete Terms and Conditions including Warranty and Limitation of Liability information can be found on our website.

Copyright Cayman Chemical Company, 05/04/2021

CAYMAN CHEMICAL
1180 EAST ELLSWORTH RD
ANN ARBOR, MI 48108 · USA
PHONE: [800] 364-9897
[734] 971-3335
FAX: [734] 971-3640
CUSTSERV@CAYMANCHEM.COM
WWW.CAYMANCHEM.COM

PRODUCT INFORMATION



Description

JAK2 is a non-receptor tyrosine kinase that has roles in immune signaling.^{1,2} It is composed of N-terminal FERM and SH2 domains, a regulatory pseudokinase domain, and a C-terminal kinase domain.¹ It is widely expressed and associates with class I and class II cytokine receptors at the plasma membrane.^{3,4} Activation of these cytokine receptors activates JAK2 and induces its dimerization and kinase activity, leading to JAK2 phosphorylation of STAT transcription factors and transcription of immune-related target genes. JAK2 signaling is inhibited by the suppressor of cytokine signaling (SOCS) proteins SOCS-1 and SOCS-3.^{5,6} Gain-of-function mutations in *JAK2* are associated with various blood disorders, including leukemias and myeloproliferative neoplasms.⁴ Cayman's JAK2 (human, recombinant) protein can be used for enzyme activity assays.

References

1. Leonard, W.J. and O'Shea, J.J. JAKS and STATs: Biological implications. *Annu. Rev. Immunol.* **16**, 293-322 (1998).
2. Haan, C., Kreis, S., Margue, C., *et al.* Jaks and cytokine receptors—an intimate relationship. *Biochem. Pharmacol.* **72(11)**, 1538-1546 (2006).
3. Parganas, E., Wang, D., Stravopodis, D., *et al.* Jak2 is essential for signaling through a variety of cytokine receptors. *Cell* **93(3)**, 385-395 (1998).
4. Hubbard, S.R. Mechanistic insights into regulation of JAK2 tyrosine kinase. *Front. Endocrinol. (Lausanne)* **8**, 361 (2018).
5. Kile, B.T. and Alexander, W.S. The suppressors of cytokine signalling (SOCS). *Cell. Mol. Life Sci.* **58(11)**, 1627-1635 (2001).
6. Yoshimura, A. and Yasukawa, H. JAK's SOCS: A mechanism of inhibition. *Immunity* **36(2)**, 157-159 (2012).

CAYMAN CHEMICAL
1180 EAST ELLSWORTH RD
ANN ARBOR, MI 48108 · USA
PHONE: [800] 364-9897
[734] 971-3335
FAX: [734] 971-3640
CUSTSERV@CAYMANCHEM.COM
WWW.CAYMANCHEM.COM