



# SZABO SCANDIC

Part of Europa Biosite

## Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!  
See the following pages for more information!



### Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

### Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

[mail@szabo-scandic.com](mailto:mail@szabo-scandic.com)

[www.szabo-scandic.com](http://www.szabo-scandic.com)

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 


# PRODUCT INFORMATION



## diABZI STING Agonist-3

Item No. 34082

**CAS Registry No.:** 2138299-29-1  
**Formal Name:** 1-[(2E)-4-[5-(aminocarbonyl)-2-[[[(1-ethyl-3-methyl-1H-pyrazol-5-yl)carbonyl]amino]-1H-benzimidazol-1-yl]-2-buten-1-yl]-2-[[[(1-ethyl-3-methyl-1H-pyrazol-5-yl)carbonyl]amino]-7-(3-hydroxypropoxy)-1H-benzimidazole-5-carboxamide  
**Synonyms:** CS-0029879, Diamidobenzimidazole STING Agonist, diABZI-3, EX-A3217, HY-103665, STING Agonist-3  
**MF:** C<sub>37</sub>H<sub>42</sub>N<sub>12</sub>O<sub>6</sub>  
**FW:** 750.8  
**Purity:** ≥98%  
**Supplied as:** A solid  
**Storage:** -20°C  
**Stability:** ≥2 years



Information represents the product specifications. Batch specific analytical results are provided on each certificate of analysis.

### Laboratory Procedures

diABZI STING agonist-3 is supplied as a solid. A stock solution may be made by dissolving the diABZI STING agonist-3 in the solvent of choice, which should be purged with an inert gas. diABZI STING agonist-3 is soluble in the organic solvent DMSO (sonicated) at a concentration of approximately 40 mg/ml.

### Description

diABZI STING agonist-3 is an agonist of stimulator of interferon genes (STING).<sup>1</sup> It binds to STING (IC<sub>50</sub> = 0.32 nM in a FRET assay) and induces STING transcriptional activity in a reporter assay (EC<sub>50</sub> = 31.62 nM). diABZI STING agonist-3 increases protein levels of Nod-like receptor protein 3 (NLRP3), IL-1β, and IL-18, but not cGAS or mtDNA, in macrophages.<sup>2</sup>

### References

1. Charnley, A.K., Darcy, M.G., Dodson, J.W., *et al.* Heterocyclic amides useful as protein modulators. **WO 2017/175147 A1** (2017).
2. Ning, L., Wei, W., Wenyang, J., *et al.* Cytosolic DNA-STING-NLRP3 axis is involved in murine acute lung injury induced by lipopolysaccharide. *Clin. Transl. Med.* **10(7)**, e228 (2020).

#### WARNING

THIS PRODUCT IS FOR RESEARCH ONLY - NOT FOR HUMAN OR VETERINARY DIAGNOSTIC OR THERAPEUTIC USE.

#### SAFETY DATA

This material should be considered hazardous until further information becomes available. Do not ingest, inhale, get in eyes, on skin, or on clothing. Wash thoroughly after handling. Before use, the user must review the complete Safety Data Sheet, which has been sent via email to your institution.

#### WARRANTY AND LIMITATION OF REMEDY

Buyer agrees to purchase the material subject to Cayman's Terms and Conditions. Complete Terms and Conditions including Warranty and Limitation of Liability information can be found on our website.

Copyright Cayman Chemical Company, 05/25/2021

#### CAYMAN CHEMICAL

1180 EAST ELLSWORTH RD  
ANN ARBOR, MI 48108 · USA

**PHONE:** [800] 364-9897

[734] 971-3335

**FAX:** [734] 971-3640

CUSTSERV@CAYMANCHEM.COM

WWW.CAYMANCHEM.COM