

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten! See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere Liefer- und Versandbedingungen

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

linkedin.com/company/szaboscandic in



PRODUCT INFORMATION



Dabrafenib (mesylate)

Item No. 35251

CAS Registry No.: 1195768-06-9

Formal Name: N-[3-[5-(2-amino-4-pyrimidinyl)-2-(1,1-

dimethylethyl)-4-thiazolyl]-2-fluorophenyl]-2,6-

difluoro-benzenesulfonamide, methanesulfonate

Synonym: GSK2118436B

MF: $C_{23}H_{20}F_3N_5O_2S_2 \bullet CH_3SO_3H$

615.7 FW: **Purity:** ≥98% Supplied as: A solid Storage: -20°C Stability: ≥4 years

Information represents the product specifications. Batch specific analytical results are provided on each certificate of analysis.

Laboratory Procedures

Dabrafenib (mesylate) is supplied as a solid. A stock solution may be made by dissolving the dabrafenib (mesylate) in the solvent of choice, which should be purged with an inert gas. Dabrafenib (mesylate) is soluble in the organic solvent DMSO at a concentration of approximately 1 mg/ml.

Description

Dabrafenib is an ATP-competitive inhibitor of Raf kinases ($IC_{50}s = 0.64$, 0.68, and 5 nM for wild-type B-RAF kinase, mutant B-RAF^{V600E}, and wild-type C-RAF kinase, respectively).¹ It also inhibits the tyrosine kinase-like kinases ALK5 and LIMK1 (IC₅₀s = 11 and 15 nM, respectively) and the calcium/calmodulindependent protein kinases SIK2 and PD $\breve{K2}$ (IC₅₀s = 27 and 57 nM, respectively), as well as NEK11, CK1, and BRK ($IC_{50}s = 20, 41$, and 79 nM, respectively) in a panel of 270 kinases at 300 nM. Dabrafenib inhibits the growth of 16 cancer cell lines expressing mutant B-RAF V600E (GI $_{50}$ s = <200 nM), five cell lines expressing other B-RAF mutants ($GI_{50}s = <30$ nM), and 19 cell lines expressing wild-type Ras and RAF (GI₅₀s = <7,000 nM). However, it does not inhibit the growth of four cancer cell lines expressing mutant B-RAF^{V600E}, 133 cell lines expressing wild-type Ras and Raf, or 18 cell lines expressing mutant Ras $(GI_{50}s = >10 \mu M)$ in a panel of 195 cancer cell lines. Dabrafenib (8 nM) inhibits MAPK signaling, inhibiting phosphorylation of MEK and ERK, and activates caspase-3/7 in B-RAFV600E-expressing A375P melanoma cells but not in wild-type B-RAF-expressing human foreskin fibroblasts (EC₂₀₀s =71 and >10,000 nM, respectively). It reduces tumor growth in an A375P mouse xenograft model when administered at doses ranging from 3 to 100 mg/kg. Formulations containing dabrafenib have been used in the treatment of B-RAF^{V600E}-expressing cancers.

Reference

1. King, A.J., Arnone, M.R., Bleam, M.R., et al. Dabrafenib; Preclinical characterization, increased efficacy when combined with trametinib, while BRAF/MEK tool combination reduced skin lesions. PLoS One 8(7), e67583 (2013).

WARNING
THIS PRODUCT IS FOR RESEARCH ONLY - NOT FOR HUMAN OR VETERINARY DIAGNOSTIC OR THERAPEUTIC USE.

This material should be considered hazardous until further information becomes available. Do not ingest, inhale, get in eyes, on skin, or on clothing. Wash thoroughly after handling. Before use, the user must review the complete Safety Data Sheet, which has been sent via email to your institution.

WARRANTY AND LIMITATION OF REMEDY

subject to Cayman's Terms and Conditions. Complete Terms and Conditions including Warranty and Limitation of Liability information Buyer agrees to purchase the mater can be found on our website.

Copyright Cayman Chemical Company, 11/18/2022

CAYMAN CHEMICAL

1180 EAST ELLSWORTH RD ANN ARBOR, MI 48108 · USA PHONE: [800] 364-9897

[734] 971-3335

FAX: [734] 971-3640 CUSTSERV@CAYMANCHEM.COM WWW.**CAYMANCHEM**.COM