



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 


PRODUCT INFORMATION



PD 168568 (hydrochloride)

Item No. 35483

CAS Registry No.: 1782532-06-2
Formal Name: 3-[2-[4-(3,4-dimethylphenyl)-1-piperazinyl]ethyl]-2,3-dihydro-1H-isoindol-1-one, dihydrochloride
MF: C₂₂H₂₇N₃O • 2HCl
FW: 422.4
Purity: ≥98%
Supplied as: A solid
Storage: -20°C
Stability: ≥4 years



Information represents the product specifications. Batch specific analytical results are provided on each certificate of analysis.

Laboratory Procedures

PD 168568 (hydrochloride) is supplied as a solid. A stock solution may be made by dissolving the PD 168568 (hydrochloride) in the solvent of choice, which should be purged with an inert gas. PD 168568 (hydrochloride) is soluble in organic solvents such as DMSO. It is also soluble in water. The solubility of PD 168568 (hydrochloride) in DMSO and water is approximately 100 and 50 mM, respectively. We do not recommend storing the aqueous solution for more than one day.

Description

PD 168568 is a dopamine D₄ receptor antagonist (K_i = 8.8 nM).¹ It is selective for dopamine D₄ over D₂ receptors (K_i = 1,842 nM). PD 168568 (3 mg/kg) reverses amphetamine-induced hyperlocomotion in rats. It also inhibits the growth of glioblastoma neural stem cells when used at concentrations of 25 and 50 μM.²

References

1. Belliotti, T.R., Brink, W.A., Kesten, S.R., *et al.* Isoindolinone enantiomers having affinity for the dopamine D₄ receptor. *Bioorg. Med. Chem. Lett.* **8(12)**, 1499-1502 (1998).
2. Dolma, S., Selvadurai, H.J., Lan, X., *et al.* Inhibition of dopamine receptor D4 impedes autophagic flux, proliferation, and survival of glioblastoma stem cells. *Cancer Cell* **29(6)**, 859-873 (2016).

WARNING

THIS PRODUCT IS FOR RESEARCH ONLY - NOT FOR HUMAN OR VETERINARY DIAGNOSTIC OR THERAPEUTIC USE.

SAFETY DATA

This material should be considered hazardous until further information becomes available. Do not ingest, inhale, get in eyes, on skin, or on clothing. Wash thoroughly after handling. Before use, the user must review the [complete](#) Safety Data Sheet, which has been sent via email to your institution.

WARRANTY AND LIMITATION OF REMEDY

Buyer agrees to purchase the material subject to Cayman's Terms and Conditions. Complete Terms and Conditions including Warranty and Limitation of Liability information can be found on our website.

Copyright Cayman Chemical Company, 12/12/2022

CAYMAN CHEMICAL

1180 EAST ELLSWORTH RD
ANN ARBOR, MI 48108 · USA

PHONE: [800] 364-9897

[734] 971-3335

FAX: [734] 971-3640

CUSTSERV@CAYMANCHEM.COM
WWW.CAYMANCHEM.COM