



# SZABO SCANDIC

Part of Europa Biosite

## Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!  
See the following pages for more information!



### Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

### Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

[mail@szabo-scandic.com](mailto:mail@szabo-scandic.com)

[www.szabo-scandic.com](http://www.szabo-scandic.com)

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 


# PRODUCT INFORMATION



## Plerixafor

Item No. 35579

**CAS Registry No.:** 110078-46-1  
**Formal Name:** 1,1'-[1,4-phenylenebis(methylene)]bis-1,4,8,11-tetraazacyclotetradecane  
**Synonyms:** AMD 3100, JM 3100, SDZ SID 791  
**MF:** C<sub>28</sub>H<sub>54</sub>N<sub>8</sub>  
**FW:** 502.8  
**Purity:** ≥95%  
**Supplied as:** A solid  
**Storage:** -20°C  
**Stability:** ≥4 years



Information represents the product specifications. Batch specific analytical results are provided on each certificate of analysis.

### Laboratory Procedures

Plerixafor is supplied as a solid. A stock solution may be made by dissolving the plerixafor in the solvent of choice, which should be purged with an inert gas. Plerixafor is soluble in the organic solvent ethanol at a concentration of approximately 10 mg/ml.

### Description

Plerixafor is a partial antagonist of chemokine receptor 4 (CXCR4) with IC<sub>50</sub> values ranging from 0.02 to 0.13 µg/ml for inhibiting calcium flux in peripheral blood mononuclear cells (PBMCs), various types of T cells, and mouse lymphocytic leukemia cells.<sup>1</sup> It is selective for CXCR4 over CXCR1-3 and CXCR5-9 (IC<sub>50</sub>s = >25 µg/ml). Plerixafor decreases infectious virus content in the supernatant of Jurkat cells chronically infected with HIV-1(IIIB) (EC<sub>50</sub> = ~0.02 µg/ml).<sup>2</sup> It rapidly mobilizes murine and human hematopoietic stem and murine long-term repopulating cells for transplantation alone and, with a synergistic effect, when used in combination with G-CSF.<sup>3</sup> Plerixafor also increases T cell trafficking in mouse blood, spleen, and central nervous system.<sup>4,5</sup> Plerixafor (1.25 mg/kg twice per day) decreases the number of 4T1 murine mammary carcinoma cells in the lung in a mouse model of lung metastasis.<sup>6</sup>

### References

1. Hatse, S., Princen, K., Bridger, G., *et al.* Chemokine receptor inhibition by AMD3100 is strictly confined to CXCR4. *FEBS Lett.* **527(1-3)**, 255-262 (2002).
2. De Clercq, E., Yamamoto, N., Pauwels, R., *et al.* Highly potent and selective inhibition of human immunodeficiency virus by the bicyclam derivative JM3100. *Antimicrob. Agents Chemother.* **38(4)**, 668-674 (1994).
3. Hess, D.A., Bonde, J., Craft, T.C., *et al.* Human progenitor cells rapidly mobilized by AMD3100 repopulate NOD/SCID mice with increased frequency in comparison to cells from the same donor mobilized by granulocyte colony stimulating factor. *Biol. Blood Marrow Transplant* **13(4)**, 398-411 (2007).
4. Bernardini, G., Sciumè, G., Bosisio, D., *et al.* CCL3 and CXCL12 regulate trafficking of mouse bone marrow NK cell subsets. *Blood* **111(7)**, 3626-3634 (2008).
5. McCandless, E.E., Zhang, B., Diamond, M.S., *et al.* CXCR4 antagonism increases T cell trafficking in the central nervous system and improves survival from West Nile virus encephalitis. *Proc. Natl. Acad. Sci. USA* **105(32)**, 11270-11275 (2008).
6. Smith, M.C., Luker, K.E., Garbow, J.R., *et al.* CXCR4 regulates growth of both primary and metastatic breast cancer. *Cancer Res.* **64(23)**, 8604-8612 (2004).

#### WARNING

THIS PRODUCT IS FOR RESEARCH ONLY - NOT FOR HUMAN OR VETERINARY DIAGNOSTIC OR THERAPEUTIC USE.

#### SAFETY DATA

This material should be considered hazardous until further information becomes available. Do not ingest, inhale, get in eyes, on skin, or on clothing. Wash thoroughly after handling. Before use, the user must review the complete Safety Data Sheet, which has been sent via email to your institution.

#### WARRANTY AND LIMITATION OF REMEDY

Buyer agrees to purchase the material subject to Cayman's Terms and Conditions. Complete Terms and Conditions including Warranty and Limitation of Liability information can be found on our website.

Copyright Cayman Chemical Company, 12/02/2022

#### CAYMAN CHEMICAL

1180 EAST ELLSWORTH RD  
ANN ARBOR, MI 48108 · USA

**PHONE:** [800] 364-9897

[734] 971-3335

**FAX:** [734] 971-3640

CUSTSERV@CAYMANCHEM.COM  
WWW.CAYMANCHEM.COM